CS344 Artificial Intelligence Prof. Pushpak Bhattacharya Class on 5 Mar 2007

# Interpretation in Logic

- Logical expressions or formulae are "FORMS" (placeholders) for whom <u>contents</u> are created through interpretation.
- Example:

 $\exists F[\{F(a) = b\} \land \forall x \{P(x) \rightarrow (F(x) = g(x, F(h(x))))\}]$ 

- This is a Second Order Predicate Calculus formula.
- Quantification on 'F' which is a function.

#### Examples

- Interpretation 1  $a \text{ and } b \in N$ In particular, a = 0 and b = 1  $x \in N$  P(x) stands for x > 0  $g(m,n) \text{ stands for } (m \times n)$ h(x) stands for (x - 1)
- Above interpretation defines Factorial

# Examples (contd.)

• Interpretation – 2

 $a = b = \lambda$ 

P(x) stands for "x is a non empty string" g(m, n) stands for "append head of m to n"

*h*(*x*) stands for *tail*(*x*)

Above interpretation defines "reversing a string"

# More Examples

- $\forall x [ P(x) \rightarrow Q(x) ]$
- Following interpretations conform to above expression:

 $man(x) \rightarrow mortal(x)$   $dog(x) \rightarrow mammal(x)$   $prime(x) \rightarrow 2_or_odd(x)$  $CS(x) \rightarrow bad_hand_writing(x)$ 

## Structure of Interpretation

- All interpretations begin with a domain 'D', constants (0-order functions) and functions pick values from there.
- With respect to -  $\forall x \ [ P(x) \rightarrow Q(x) ]$   $D = \{ living beings \}$   $P: D \rightarrow \{T, F\}$  $Q: D \rightarrow \{T, F\}$
- *P* can be looked upon as a table shown here:

Elements of <i>D</i> i.e. <i>x</i>	P(x)
Ram	Т
Pushpak	Т
Virus <sub>1201</sub>	F

# Factorial interpretation of the structure

- $D = \{0, 1, 2, ..., \infty\}$
- *a* = 0, *b* = 1
- $g(m, n) = m \times n$  and  $g: D \times D \rightarrow D$
- h(x) = (x 1) and  $h(0) = 0, h: D \to D$
- P(x) is x > 0 and  $P: D \rightarrow \{T, F\}$

# Steps in Interpretation

- 1. Fix Domain D
- 2. Assign values to constants
- 3. Define functions
- 4. Define predicates
- An expression which is true for <u>all</u> interpretations is called <u>valid</u> or tautology.
- Interpretations and their validity in "Herbrand's Universe" is sufficient for proving validity in Predicate Calculus.
- Note:- Possible seminar topic "Herbrand's Interpretation and Validity"

This document was created with Win2PDF available at <a href="http://www.daneprairie.com">http://www.daneprairie.com</a>. The unregistered version of Win2PDF is for evaluation or non-commercial use only.