



# भारतीय प्रौद्योगिकी संस्थान मुंबई

## Indian Institute of Technology Bombay

# CS 6001: Game Theory and Algorithmic Mechanism Design

Week 9

Swaprava Nath

Slide preparation acknowledgments: Rounak Dalmia

ज्ञानम् परमम् ध्येयम्

Knowledge is the supreme goal



- ▶ Task Allocation Domain
- ▶ The Uniform Rule
- ▶ Mechanism Design with Transfers
- ▶ Quasi Linear Preferences
- ▶ Pareto Optimality and Groves Payments



- Unit amount of task to be shared among  $n$  agents

# Task Allocation Domain



- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$

# Task Allocation Domain



- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$
- Agent **payoff**: every agent has a most preferred share of work.



- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$
- Agent **payoff**: every agent has a most preferred share of work.
- **Example**:



- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$
- Agent **payoff**: every agent has a most preferred share of work.
- **Example**:
  - The task has rewards, e.g., wages per unit time =  $w$



- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$
- Agent **payoff**: every agent has a most preferred share of work.
- **Example**:
  - The task has rewards, e.g., wages per unit time  $= w$
  - if agent  $i$  works for  $t_i$  time then gets  $w \cdot t_i$





- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$
- Agent **payoff**: every agent has a most preferred share of work.
- **Example**:
  - The task has rewards, e.g., wages per unit time  $= w$
  - if agent  $i$  works for  $t_i$  time then gets  $w \cdot t_i$
  - The task also has costs, e.g., physical tiredness/less free time, etc. Let the cost be quadratic  $= c_i t_i^2$



- Unit amount of task to be shared among  $n$  agents
- Agent  $i$  gets a share  $s_i \in [0, 1]$  of the job,  $\sum_{i \in N} s_i = 1$
- Agent **payoff**: every agent has a most preferred share of work.
- **Example**:
  - The task has rewards, e.g., wages per unit time  $= w$
  - if agent  $i$  works for  $t_i$  time then gets  $w \cdot t_i$
  - The task also has costs, e.g., physical tiredness/less free time, etc. Let the cost be quadratic  $= c_i t_i^2$
  - Net payoff  $= w t_i - c_i t_i^2 \implies$  **maximized** at  $t_i = w/2c_i$ ,  
and **monotone** decreasing on both sides



- Net payoff =  $wt_i - c_it_i^2 \implies$  **maximized** at  $t_i = w/2c_i$



- Net payoff =  $wt_i - c_it_i^2 \implies$  **maximized** at  $t_i = w/2c_i$
- **Important:** This is single peaked over the **share of the task** and not over the alternatives



- Net payoff =  $wt_i - c_it_i^2 \implies$  **maximized** at  $t_i = w/2c_i$
- **Important:** This is single peaked over the **share of the task** and not over the alternatives
- Suppose, two alternatives are  $(0.2, 0.4, 0.4)$  and  $(0.2, 0.6, 0.2)$ : player 1 likes both of them equally



- Net payoff =  $wt_i - c_it_i^2 \implies$  **maximized** at  $t_i = w/2c_i$
- **Important:** This is single peaked over the **share of the task** and not over the alternatives
- Suppose, two alternatives are  $(0.2, 0.4, 0.4)$  and  $(0.2, 0.6, 0.2)$ : player 1 likes both of them equally
- For 3 players, the set of alternatives is a simplex



- Net payoff =  $wt_i - c_it_i^2 \implies$  **maximized** at  $t_i = w/2c_i$
- **Important:** This is single peaked over the **share of the task** and not over the alternatives
- Suppose, two alternatives are  $(0.2, 0.4, 0.4)$  and  $(0.2, 0.6, 0.2)$ : player 1 likes both of them equally
- For 3 players, the set of alternatives is a simplex
- There cannot be a single common order over the alternatives s.t. the preferences are single-peaked for all agents

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$



# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$
- Let  $P \in T^n$

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$
- Let  $P \in T^n$ 
  - $f(P) = (f_1(P), f_2(P), \dots, f_n(P))$

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$
- Let  $P \in T^n$ 
  - $f(P) = (f_1(P), f_2(P), \dots, f_n(P))$
  - $f_i(P) \in [0, 1], \forall i \in N$

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$
- Let  $P \in T^n$ 
  - $f(P) = (f_1(P), f_2(P), \dots, f_n(P))$
  - $f_i(P) \in [0, 1], \forall i \in N$
  - $\sum_{i \in N} f_i(P) = 1$

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$
- Let  $P \in T^n$ 
  - $f(P) = (f_1(P), f_2(P), \dots, f_n(P))$
  - $f_i(P) \in [0, 1], \forall i \in N$
  - $\sum_{i \in N} f_i(P) = 1$
- Player  $i$  has a peak  $p_i$  over the shares of the task

# Task Allocation Domain and Pareto Efficiency



- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF:**  $f : T^n \rightarrow A$
- Let  $P \in T^n$ 
  - $f(P) = (f_1(P), f_2(P), \dots, f_n(P))$
  - $f_i(P) \in [0, 1], \forall i \in N$
  - $\sum_{i \in N} f_i(P) = 1$
- Player  $i$  has a peak  $p_i$  over the shares of the task





# Task Allocation Domain and Pareto Efficiency

- Denote this **domain of task allocation** with  $T$
- An allocation of the task is  $a = (a_i \in [0, 1], i \in N)$ , set of all task allocations is  $A$
- **SCF**:  $f : T^n \rightarrow A$
- Let  $P \in T^n$ 
  - $f(P) = (f_1(P), f_2(P), \dots, f_n(P))$
  - $f_i(P) \in [0, 1], \forall i \in N$
  - $\sum_{i \in N} f_i(P) = 1$
- Player  $i$  has a peak  $p_i$  over the shares of the task

## Definition (Pareto Efficiency)

An SCF  $f$  is *Pareto efficient* (PE) if there does not exist any profile  $P$  where there exists a task allocation  $a \in A$  such that it is weakly preferred over  $f(P)$  by all agents and strictly preferred by at least one. Mathematically,

$$\nexists P, \text{ where } \exists a \in A \text{ s.t. } \begin{array}{ll} a R_i f(P) & \forall i \in N, \\ a P_j f(P) & \exists j \in N. \end{array}$$

# Implications of Pareto Efficiency



- If  $\sum_{i \in N} p_i = 1$ , allocate tasks according to the peaks of the agents This is the unique PE allocation

# Implications of Pareto Efficiency



- 1 If  $\sum_{i \in N} p_i = 1$ , allocate tasks according to the peaks of the agents This is the unique PE allocation
- 2 If  $\sum_{i \in N} p_i > 1$ , there must exist  $k \in N$ , s.t.  $f_k(P) < p_k$



# Implications of Pareto Efficiency

- 1 If  $\sum_{i \in N} p_i = 1$ , allocate tasks according to the peaks of the agents This is the unique PE allocation
- 2 If  $\sum_{i \in N} p_i > 1$ , there must exist  $k \in N$ , s.t.  $f_k(P) < p_k$

## Question

Can there be an agent  $j$  s.t.  $f_j(P) > p_j$  if  $f$  is PE?



# Implications of Pareto Efficiency

- 1 If  $\sum_{i \in N} p_i = 1$ , allocate tasks according to the peaks of the agents This is the unique PE allocation
- 2 If  $\sum_{i \in N} p_i > 1$ , there must exist  $k \in N$ , s.t.  $f_k(P) < p_k$

## Question

Can there be an agent  $j$  s.t.  $f_j(P) > p_j$  if  $f$  is PE?

## Answer

No. If such a  $j$  exists, increasing  $k$ 's share of task and reducing  $j$ 's makes both players strictly better off

Therefore,  $\forall j \in N, f_j(P) \leq p_j$

- 3 If  $\sum_{i \in N} p_i < 1$ , by a similar argument, we conclude that  $\forall j \in N, f_j(P) \geq p_j$

# Task Allocation Domain and Anonymity



## Definition (Anonymity)

An SCF  $f$  is *anonymous* (ANON) if for every agent permutation  $\sigma : N \rightarrow N$ , the task shares get permuted accordingly, i.e.,

$$\forall \sigma, f_{\sigma(j)}(P^\sigma) = f_j(P), \forall j \in N.$$

# Task Allocation Domain and Anonymity



## Definition (Anonymity)

An SCF  $f$  is *anonymous* (ANON) if for every agent permutation  $\sigma : N \rightarrow N$ , the task shares get permuted accordingly, i.e.,

$$\forall \sigma, f_{\sigma(j)}(P^\sigma) = f_j(P), \forall j \in N.$$

### Example:

- $N = \{1, 2, 3\}$ ,  $\sigma(1) = 2, \sigma(2) = 3, \sigma(3) = 1$
- $P = (0.7, 0.4, 0.3) \implies P^\sigma = (0.3, 0.7, 0.4)$



# Task Allocation Domain and Anonymity

## Definition (Anonymity)

An SCF  $f$  is *anonymous* (ANON) if for every agent permutation  $\sigma : N \rightarrow N$ , the task shares get permuted accordingly, i.e.,

$$\forall \sigma, f_{\sigma(j)}(P^\sigma) = f_j(P), \forall j \in N.$$

## Example:

- $N = \{1, 2, 3\}$ ,  $\sigma(1) = 2, \sigma(2) = 3, \sigma(3) = 1$
- $P = (0.7, 0.4, 0.3) \implies P^\sigma = (0.3, 0.7, 0.4)$
- $f_1(0.7, 0.4, 0.3) = f_2(0.3, 0.7, 0.4)$
- $f_2(0.7, 0.4, 0.3) = f_3(0.3, 0.7, 0.4)$
- $f_3(0.7, 0.4, 0.3) = f_1(0.3, 0.7, 0.4)$





**Manipulability:** an SCF  $f$  is **manipulable** if  $\exists i \in N$  and a profile  $P$  such that,  $f(P'_i, P_{-i}) P_i f(P_i, P_{-i})$ , for some  $P'_i$ .



**Manipulability:** an SCF  $f$  is **manipulable** if  $\exists i \in N$  and a profile  $P$  such that,  $f(P'_i, P_{-i}) \succ_i f(P_i, P_{-i})$ , for some  $P'_i$ .

## Definition (Strategyproof)

An SCF is *strategyproof* (SP) if it is not manipulable by any agent at any profile.



**Manipulability:** an SCF  $f$  is **manipulable** if  $\exists i \in N$  and a profile  $P$  such that,  $f(P'_i, P_{-i}) \succ_i f(P_i, P_{-i})$ , for some  $P'_i$ .

## Definition (Strategyproof)

An SCF is *strategyproof* (SP) if it is not manipulable by any agent at any profile.

**Strategyproofness (equivalent definition):**

$$f(P_i, P_{-i}) \succ_i f(P'_i, P_{-i}) \quad \text{OR} \quad f_i(P_i, P_{-i}) = f_i(P'_i, P_{-i}), \forall P_i, P'_i \in T, \forall i \in N, \forall P_{-i} \in T^{n-1}.$$

# Task Allocation Domain: Some Candidate SCFs



## Definition (Serial Dictatorship)

A predetermined sequence of the agents is fixed. Each agent is given either her peak share or the leftover share of the task. If  $\sum_{i \in N} p_i < 1$ , then the last agent is given the leftover share.

# Task Allocation Domain: Some Candidate SCFs



## Definition (Serial Dictatorship)

A predetermined sequence of the agents is fixed. Each agent is given either her peak share or the leftover share of the task. If  $\sum_{i \in N} p_i < 1$ , then the last agent is given the leftover share.

## Question

PE, SP, ANON?

# Task Allocation Domain: Some Candidate SCFs



## Definition (Serial Dictatorship)

A predetermined sequence of the agents is fixed. Each agent is given either her peak share or the leftover share of the task. If  $\sum_{i \in N} p_i < 1$ , then the last agent is given the leftover share.

## Question

PE, SP, ANON?

## Answer

Not ANON. Also quite unfair to the last agent.

# Task Allocation Domain: Some Candidate SCFs



## Definition (Proportional)

Every player is assigned a share that is  $c$  times their peaks, s.t.  $c \sum_{i \in N} p_i = 1$

# Task Allocation Domain: Some Candidate SCFs



## Definition (Proportional)

Every player is assigned a share that is  $c$  times their peaks, s.t.  $c \sum_{i \in N} p_i = 1$

## Question

PE, ANON, SP?



# Task Allocation Domain: Some Candidate SCFs



## Definition (Proportional)

Every player is assigned a share that is  $c$  times their peaks, s.t.  $c \sum_{i \in N} p_i = 1$

## Question

PE, ANON, SP?

## Answer

Not SP.

Suppose peaks are 0.2, 0.3, 0.1 for 3 players,  $c = 1/0.6$

# Task Allocation Domain: Some Candidate SCFs



## Definition (Proportional)

Every player is assigned a share that is  $c$  times their peaks, s.t.  $c \sum_{i \in N} p_i = 1$

## Question

PE, ANON, SP?

## Answer

Not SP.

Suppose peaks are 0.2, 0.3, 0.1 for 3 players,  $c = 1/0.6$

Player 1 gets  $1/3$  (more than its peak 0.2)



# Task Allocation Domain: Some Candidate SCFs

## Definition (Proportional)

Every player is assigned a share that is  $c$  times their peaks, s.t.  $c \sum_{i \in N} p_i = 1$

## Question

PE, ANON, SP?

## Answer

Not SP.

Suppose peaks are 0.2, 0.3, 0.1 for 3 players,  $c = 1/0.6$

Player 1 gets  $1/3$  (more than its peak 0.2)

if the report is **0.1**, 0.3, 0.1,  $c = 1/0.5$ , player 1 gets 0.2



- ▶ Task Allocation Domain
- ▶ The Uniform Rule
- ▶ Mechanism Design with Transfers
- ▶ Quasi Linear Preferences
- ▶ Pareto Optimality and Groves Payments

# PE, ANON, and SP?



## Question

How to ensure PE, ANON, and SP in the task allocation domain?


# PE, ANON, and SP?



## Question

How to ensure PE, ANON, and SP in the task allocation domain?

- Suppose,  $\sum_{i \in N} p_i < 1$



**Uniform Rule (Sprumont 1991)**


# PE, ANON, and SP?



## Question

How to ensure PE, ANON, and SP in the task allocation domain?

- Suppose,  $\sum_{i \in N} p_i < 1$
- Begin with everyone's allocation being 1 (infeasible), i.e.,  $f_i(P) = 1, \forall i \in N$



**Uniform Rule (Sprumont 1991)**


# PE, ANON, and SP?



## Question

How to ensure PE, ANON, and SP in the task allocation domain?

- Suppose,  $\sum_{i \in N} p_i < 1$
- Begin with everyone's allocation being 1 (infeasible), i.e.,  $f_i(P) = 1, \forall i \in N$
- Keep reducing until  $\sum_{i \in N} f_i(P) = 1$



**Uniform Rule (Sprumont 1991)**






# PE, ANON, and SP?

## Question

How to ensure PE, ANON, and SP in the task allocation domain?

- Suppose,  $\sum_{i \in N} p_i < 1$
- Begin with everyone's allocation being 1 (infeasible), i.e.,  $f_i(P) = 1, \forall i \in N$
- Keep reducing until  $\sum_{i \in N} f_i(P) = 1$
- On this path, if some agent's peak is reached, set the allocation for that agent to be its peak, i.e.,  $f_i(P) = p_i$



**Uniform Rule (Sprumont 1991)**




# PE, ANON, and SP?

## Question

How to ensure PE, ANON, and SP in the task allocation domain?

- Suppose,  $\sum_{i \in N} p_i < 1$
- Begin with everyone's allocation being 1 (infeasible), i.e.,  $f_i(P) = 1, \forall i \in N$
- Keep reducing until  $\sum_{i \in N} f_i(P) = 1$
- On this path, if some agent's peak is reached, set the allocation for that agent to be its peak, i.e.,  $f_i(P) = p_i$
- Symmetric for  $\sum_{i \in N} p_i > 1$




**Uniform Rule (Sprumont 1991)**

# The Uniform Rule (Sprumont 1991)



## Definition

① **Case**  $\sum_{i \in N} p_i = 1$ :  $f_i^u(P) = p_i$




**Uniform Rule (Sprumont 1991)**

# The Uniform Rule (Sprumont 1991)

## Definition

- ① **Case**  $\sum_{i \in N} p_i = 1$ :  $f_i^u(P) = p_i$
- ② **Case**  $\sum_{i \in N} p_i < 1$ :  $f_i^u(P) = \max\{p_i, \mu(P)\}$ , where  $\mu(P)$  solves  $\sum_{i \in N} \max\{p_i, \mu\} = 1$




**Uniform Rule (Sprumont 1991)**



# The Uniform Rule (Sprumont 1991)

## Definition

- ① **Case**  $\sum_{i \in N} p_i = 1$ :  $f_i^u(P) = p_i$
- ② **Case**  $\sum_{i \in N} p_i < 1$ :  $f_i^u(P) = \max\{p_i, \mu(P)\}$ , where  $\mu(P)$  solves  $\sum_{i \in N} \max\{p_i, \mu\} = 1$
- ③ **Case**  $\sum_{i \in N} p_i > 1$ :  $f_i^u(P) = \min\{p_i, \lambda(P)\}$ , where  $\lambda(P)$  solves  $\sum_{i \in N} \min\{p_i, \lambda\} = 1$



Uniform Rule (Sprumont 1991)

# The Uniform Rule



Theorem (Sprumont 1991)

The *uniform rule* SCF is ANON, PE, and SP

# The Uniform Rule



Theorem (Sprumont 1991)

The *uniform rule* SCF is ANON, PE, and SP

- **ANON** is obvious: only the peaks matter and not their owners

# The Uniform Rule



## Theorem (Sprumont 1991)

The *uniform rule* SCF is ANON, PE, and SP

- **ANON** is obvious: only the peaks matter and not their owners
- **PE**: the allocation is s.t.



# The Uniform Rule



Theorem (Sprumont 1991)

The *uniform rule* SCF is ANON, PE, and SP

- **ANON** is obvious: only the peaks matter and not their owners
- **PE**: the allocation is s.t.
  - $f_i^u(P) = p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i = 1$



## Theorem (Sprumont 1991)

The *uniform rule* SCF is ANON, PE, and SP

- **ANON** is obvious: only the peaks matter and not their owners
- **PE**: the allocation is s.t.
  - $f_i^u(P) = p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i = 1$
  - $f_i^u(P) \geq p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i < 1$

# The Uniform Rule



Theorem (Sprumont 1991)

The **uniform rule** SCF is ANON, PE, and SP

- **ANON** is obvious: only the peaks matter and not their owners
- **PE**: the allocation is s.t.
  - $f_i^u(P) = p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i = 1$
  - $f_i^u(P) \geq p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i < 1$
  - $f_i^u(P) \leq p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i > 1$



## Theorem (Sprumont 1991)

The **uniform rule** SCF is ANON, PE, and SP

- **ANON** is obvious: only the peaks matter and not their owners
- **PE**: the allocation is s.t.
  - $f_i^u(P) = p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i = 1$
  - $f_i^u(P) \geq p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i < 1$
  - $f_i^u(P) \leq p_i, \forall i \in N$ , if  $\sum_{i \in N} p_i > 1$
- This is PE from our previous observation on PE: *allocations should stay on the same side of the peaks for every agent*

# The Uniform Rule: Strategyproofness



- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$





# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$
- Leads to an worse outcome for  $i$  than  $\mu(P)$



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$
- Leads to an worse outcome for  $i$  than  $\mu(P)$
- A similar argument for case  $\sum_{i \in N} p_i > 1$



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$
- Leads to an worse outcome for  $i$  than  $\mu(P)$
- A similar argument for case  $\sum_{i \in N} p_i > 1$



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$
- Leads to an worse outcome for  $i$  than  $\mu(P)$
- A similar argument for case  $\sum_{i \in N} p_i > 1$

The converse is also true, i.e.,

## Theorem

*An SCF in the task allocation domain is SP, PE, and ANON iff it is the uniform rule.*

- See **Sprumont (1991) : Division problem with single-peaked preferences**



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$
- Leads to an worse outcome for  $i$  than  $\mu(P)$
- A similar argument for case  $\sum_{i \in N} p_i > 1$

The converse is also true, i.e.,

## Theorem

*An SCF in the task allocation domain is SP, PE, and ANON iff it is the uniform rule.*

- See **Sprumont (1991) : Division problem with single-peaked preferences**
- **Envy-free (EF)**: Agents do not envy each other's shares – also holds for uniform rule



# The Uniform Rule: Strategyproofness

- **Case**  $\sum_{i \in N} p_i = 1$ : each agent gets her peak, no reason to deviate
- **Case**  $\sum_{i \in N} p_i < 1$ : then  $f_i^u(P) \geq p_i, \forall i \in N$
- Manipulation, only for  $i \in N$  s.t.  $f_i^u(P) > p_i \implies \mu(P) > p_i$
- The only way  $i$  can change the allocation is by reporting  $p'_i > \mu(P) > p_i$
- Leads to an worse outcome for  $i$  than  $\mu(P)$
- A similar argument for case  $\sum_{i \in N} p_i > 1$

The converse is also true, i.e.,

## Theorem

*An SCF in the task allocation domain is SP, PE, and ANON iff it is the uniform rule.*

- See **Sprumont (1991) : Division problem with single-peaked preferences**
- **Envy-free (EF)**: Agents do not envy each other's shares – also holds for uniform rule
- SP, PE, ANON, EF, polynomial-time computable



- ▶ Task Allocation Domain
- ▶ The Uniform Rule
- ▶ Mechanism Design with Transfers
- ▶ Quasi Linear Preferences
- ▶ Pareto Optimality and Groves Payments



- Social Choice Function  $F : \Theta \rightarrow X$



# Mechanism Design with Transfers



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$
  - **payment**  $\pi = (\pi_1, \dots, \pi_n), \pi_i \in \mathbb{R}$



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$
  - **payment**  $\pi = (\pi_1, \dots, \pi_n), \pi_i \in \mathbb{R}$
- Examples of allocations:



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$
  - **payment**  $\pi = (\pi_1, \dots, \pi_n), \pi_i \in \mathbb{R}$
- Examples of allocations:
  - ① A public decision to build a bridge, park, or museum.  $a = \{\text{park, bridge, } \dots\}$



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$
  - **payment**  $\pi = (\pi_1, \dots, \pi_n), \pi_i \in \mathbb{R}$
- Examples of allocations:
  - 1 A public decision to build a bridge, park, or museum.  $a = \{\text{park, bridge, } \dots\}$
  - 2 Allocation of a divisible good, e.g., a shared spectrum,  $a = (a_1, a_2, \dots, a_n), a_i \in [0, 1], \sum_{i \in N} a_i = 1$ , here  $a_i$  : fraction of the resource  $i$  gets



- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$
  - **payment**  $\pi = (\pi_1, \dots, \pi_n), \pi_i \in \mathbb{R}$
- Examples of allocations:
  - 1 A public decision to build a bridge, park, or museum.  $a = \{\text{park, bridge, } \dots\}$
  - 2 Allocation of a divisible good, e.g., a shared spectrum,  $a = (a_1, a_2, \dots, a_n), a_i \in [0, 1], \sum_{i \in N} a_i = 1$ , here  $a_i$  : fraction of the resource  $i$  gets
  - 3 Single indivisible object allocation, e.g., a painting to be auctioned,  $a = (a_1, a_2, \dots, a_n), a_i \in \{0, 1\}, \sum_{i \in N} a_i \leq 1$





- Social Choice Function  $F : \Theta \rightarrow X$
- $X$ : space of all **outcomes**
- In this domain, an outcome  $x \in X$  has two components:
  - **allocation**  $a$
  - **payment**  $\pi = (\pi_1, \dots, \pi_n), \pi_i \in \mathbb{R}$
- Examples of allocations:
  - 1 A public decision to build a bridge, park, or museum.  $a = \{\text{park, bridge, } \dots\}$
  - 2 Allocation of a divisible good, e.g., a shared spectrum,  $a = (a_1, a_2, \dots, a_n), a_i \in [0, 1], \sum_{i \in N} a_i = 1$ , here  $a_i$ : fraction of the resource  $i$  gets
  - 3 Single indivisible object allocation, e.g., a painting to be auctioned,  $a = (a_1, a_2, \dots, a_n), a_i \in \{0, 1\}, \sum_{i \in N} a_i \leq 1$
  - 4 Partitioning indivisible objects,  $S = \text{set of objects}$ ,  
 $A = \{(A_1, \dots, A_n) : A_i \subseteq S, \forall i \in N, A_i \cap A_j = \emptyset, \forall i \neq j\}$



- Type of an agent  $i$  is  $\theta_i \in \Theta_i$  this is a private information of  $i$



- Type of an agent  $i$  is  $\theta_i \in \Theta_i$  this is a private information of  $i$
- Agent's *benefit* from an allocation is defined via the **valuation function**



- Type of an agent  $i$  is  $\theta_i \in \Theta_i$  this is a private information of  $i$
- Agent's *benefit* from an allocation is defined via the **valuation function**
- Valuation depends on the **allocation** and the **type** of the player

$$v_i : A \times \Theta_i \rightarrow \mathbb{R} \quad (\text{independent private values})$$



- Type of an agent  $i$  is  $\theta_i \in \Theta_i$  this is a private information of  $i$
- Agent's *benefit* from an allocation is defined via the **valuation function**
- Valuation depends on the **allocation** and the **type** of the player

$$v_i : A \times \Theta_i \rightarrow \mathbb{R} \quad \text{(independent private values)}$$

- Examples:



- Type of an agent  $i$  is  $\theta_i \in \Theta_i$  this is a private information of  $i$
- Agent's *benefit* from an allocation is defined via the **valuation function**
- Valuation depends on the **allocation** and the **type** of the player

$$v_i : A \times \Theta_i \rightarrow \mathbb{R} \quad \text{(independent private values)}$$

- Examples:
  - if  $i$  has a type 'environmentalist'  $\theta_i^{\text{env}}$ , and  $a \in \{\text{Bridge}, \text{Park}\}$ , then  $v_i(B, \theta_i^{\text{env}}) < v_i(P, \theta_i^{\text{env}})$



- Type of an agent  $i$  is  $\theta_i \in \Theta_i$  this is a private information of  $i$
- Agent's *benefit* from an allocation is defined via the **valuation function**
- Valuation depends on the **allocation** and the **type** of the player

$$v_i : A \times \Theta_i \rightarrow \mathbb{R} \quad \text{(independent private values)}$$

- Examples:
  - if  $i$  has a type 'environmentalist'  $\theta_i^{\text{env}}$ , and  $a \in \{\text{Bridge}, \text{Park}\}$ , then  $v_i(B, \theta_i^{\text{env}}) < v_i(P, \theta_i^{\text{env}})$
  - if type changes to 'business'  $\theta_i^{\text{bus}}$ ,  $v_i(B, \theta_i^{\text{bus}}) > v_i(P, \theta_i^{\text{bus}})$

# Payments = Monetary Transfers



- Unlike other domains, here we have an 'instrument' called **money** (also called **payment** or **transfers**)



# Payments = Monetary Transfers



- Unlike other domains, here we have an ‘instrument’ called **money** (also called **payment** or **transfers**)
- **Payments**  $\pi_i \in \mathbb{R}, \forall i \in N$

# Payments = Monetary Transfers



- Unlike other domains, here we have an ‘instrument’ called **money** (also called **payment** or **transfers**)
- **Payments**  $\pi_i \in \mathbb{R}, \forall i \in N$
- Payment vector  $\pi = (\pi_1, \pi_2, \dots, \pi_n)$



# Payments = Monetary Transfers

- Unlike other domains, here we have an ‘instrument’ called **money** (also called **payment** or **transfers**)
- **Payments**  $\pi_i \in \mathbb{R}, \forall i \in N$
- Payment vector  $\pi = (\pi_1, \pi_2, \dots, \pi_n)$
- Utility of player  $i$ , when its type is  $\theta_i$ , and the outcome is  $x = (a, \pi)$  is given by

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

# Quasi Linear Domain



- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$



# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?



# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?

## Answer

- Consider two alternatives  $(a, \pi)$  and  $(a, \pi')$ , allocation is the same but payments are different



# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?

## Answer

- Consider two alternatives  $(a, \pi)$  and  $(a, \pi')$ , allocation is the same but payments are different
- Suppose  $\pi'_i < \pi_i$  for some  $i \in N$



# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?

## Answer

- Consider two alternatives  $(a, \pi)$  and  $(a, \pi')$ , allocation is the same but payments are different
- Suppose  $\pi'_i < \pi_i$  for some  $i \in N$
- There **cannot** be any preference profile in the quasi-linear domain where  $(a, \pi)$  is more preferred than  $(a, \pi')$  for agent  $i$





# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?

## Answer

- Consider two alternatives  $(a, \pi)$  and  $(a, \pi')$ , allocation is the same but payments are different
- Suppose  $\pi'_i < \pi_i$  for some  $i \in N$
- There **cannot** be any preference profile in the quasi-linear domain where  $(a, \pi)$  is more preferred than  $(a, \pi')$  for agent  $i$
- Because  $v_i(a, \theta_i) - \pi'_i > v_i(a, \theta_i) - \pi_i, \forall \theta_i \in \Theta_i$



# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?

## Answer

- Consider two alternatives  $(a, \pi)$  and  $(a, \pi')$ , allocation is the same but payments are different
- Suppose  $\pi'_i < \pi_i$  for some  $i \in N$
- There **cannot** be any preference profile in the quasi-linear domain where  $(a, \pi)$  is more preferred than  $(a, \pi')$  for agent  $i$
- Because  $v_i(a, \theta_i) - \pi'_i > v_i(a, \theta_i) - \pi_i, \forall \theta_i \in \Theta_i$
- In the complete domain, both preference orders would have been feasible



# Quasi Linear Domain

- Types  $\theta_i$  that depend on the outcome  $x = (a, \pi)$  this way belongs to the **quasi-linear domain**

$$u_i((a, \pi), \theta_i) = v_i(a, \theta_i) - \pi_i \quad \text{(quasi-linear payoff)}$$

## Question

Why is this a domain restriction?

## Answer

- Consider two alternatives  $(a, \pi)$  and  $(a, \pi')$ , allocation is the same but payments are different
- Suppose  $\pi'_i < \pi_i$  for some  $i \in N$
- There **cannot** be any preference profile in the quasi-linear domain where  $(a, \pi)$  is more preferred than  $(a, \pi')$  for agent  $i$
- Because  $v_i(a, \theta_i) - \pi'_i > v_i(a, \theta_i) - \pi_i, \forall \theta_i \in \Theta_i$
- In the complete domain, both preference orders would have been feasible
- This restriction opens up possibilities of several non-dictatorial mechanisms



- ▶ Task Allocation Domain
- ▶ The Uniform Rule
- ▶ Mechanism Design with Transfers
- ▶ Quasi Linear Preferences
- ▶ Pareto Optimality and Groves Payments

# Quasi Linear preferences



- The SCF  $F \equiv (f, (p_1, p_2, \dots, p_n)) \equiv (f, p)$  is decomposed into two components

# Quasi Linear preferences



- The SCF  $F \equiv (f, (p_1, p_2, \dots, p_n)) \equiv (f, p)$  is decomposed into two components
- **Allocation rule component**

$$f : \Theta_1 \times \Theta_2 \times \dots \times \Theta_n \rightarrow A$$

When the types are  $\theta_i, i \in N, f(\theta_1, \dots, \theta_n) = a \in A$



- The SCF  $F \equiv (f, (p_1, p_2, \dots, p_n)) \equiv (f, p)$  is decomposed into two components

- **Allocation rule component**

$$f : \Theta_1 \times \Theta_2 \times \dots \times \Theta_n \rightarrow A$$

When the types are  $\theta_i, i \in N, f(\theta_1, \dots, \theta_n) = a \in A$

- **Payment function**

$$p_i : \Theta_1 \times \Theta_2 \times \dots \times \Theta_n \rightarrow \mathbb{R}, \forall i \in N$$

When the types are  $\theta_i, i \in N, p_i(\theta_1, \dots, \theta_n) = \pi_i \in \mathbb{R}$

# Example Allocation Rules



- **Constant rule**,  $f^c(\theta) = a, \forall \theta \in \Theta$





# Example Allocation Rules

- 1 **Constant rule**,  $f^c(\theta) = a, \forall \theta \in \Theta$
- 2 **Dictatorial rule**,  $f^D(\theta) \in \arg \max_{a \in A} v_d(a, \theta_d), \forall \theta \in \Theta$ , for some  $d \in N$



# Example Allocation Rules

- ④ **Constant rule**,  $f^c(\theta) = a, \forall \theta \in \Theta$
- ② **Dictatorial rule**,  $f^D(\theta) \in \arg \max_{a \in A} v_d(a, \theta_d), \forall \theta \in \Theta$ , for some  $d \in N$
- ③ **Allocatively efficient rule / utilitarian rule**

$$f^{AE}(\theta) \in \arg \max_{a \in A} \sum_{i \in N} v_i(a, \theta_i)$$

**Note:** This is different from Pareto efficiency (PE is a property defined for the outcome which also considers the payment)



# Example Allocation Rules

- 1 **Constant rule**,  $f^c(\theta) = a, \forall \theta \in \Theta$
- 2 **Dictatorial rule**,  $f^D(\theta) \in \arg \max_{a \in A} v_d(a, \theta_d), \forall \theta \in \Theta$ , for some  $d \in N$
- 3 **Allocatively efficient rule / utilitarian rule**

$$f^{AE}(\theta) \in \arg \max_{a \in A} \sum_{i \in N} v_i(a, \theta_i)$$

**Note:** This is different from Pareto efficiency (PE is a property defined for the outcome which also considers the payment)

- 4 **Affine maximizer rule:**

$$f^{AM}(\theta) \in \arg \max_{a \in A} \left( \sum_{i \in N} \lambda_i v_i(a, \theta_i) + \kappa(a) \right), \text{ where } \lambda_i \geq 0, \text{ not all zero}$$



# Example Allocation Rules

- 1 **Constant rule**,  $f^c(\theta) = a, \forall \theta \in \Theta$
- 2 **Dictatorial rule**,  $f^D(\theta) \in \arg \max_{a \in A} v_d(a, \theta_d), \forall \theta \in \Theta$ , for some  $d \in N$
- 3 **Allocatively efficient rule / utilitarian rule**

$$f^{AE}(\theta) \in \arg \max_{a \in A} \sum_{i \in N} v_i(a, \theta_i)$$

**Note:** This is different from Pareto efficiency (PE is a property defined for the outcome which also considers the payment)

- 4 **Affine maximizer rule:**

$$f^{AM}(\theta) \in \arg \max_{a \in A} \left( \sum_{i \in N} \lambda_i v_i(a, \theta_i) + \kappa(a) \right), \text{ where } \lambda_i \geq 0, \text{ not all zero}$$

—  $\lambda_i = 1, \forall i \in N, \kappa \equiv 0$ : allocatively efficient;  $\lambda_d = 1, \lambda_j = 0, \forall j \in N \setminus \{d\}, \kappa \equiv 0$ : dictatorial



# Example Allocation Rules

- 1 **Constant rule**,  $f^c(\theta) = a, \forall \theta \in \Theta$
- 2 **Dictatorial rule**,  $f^D(\theta) \in \arg \max_{a \in A} v_d(a, \theta_d), \forall \theta \in \Theta$ , for some  $d \in N$
- 3 **Allocatively efficient rule / utilitarian rule**

$$f^{AE}(\theta) \in \arg \max_{a \in A} \sum_{i \in N} v_i(a, \theta_i)$$

**Note:** This is different from Pareto efficiency (PE is a property defined for the outcome which also considers the payment)

- 4 **Affine maximizer rule:**

$$f^{AM}(\theta) \in \arg \max_{a \in A} \left( \sum_{i \in N} \lambda_i v_i(a, \theta_i) + \kappa(a) \right), \text{ where } \lambda_i \geq 0, \text{ not all zero}$$

—  $\lambda_i = 1, \forall i \in N, \kappa \equiv 0$ : allocatively efficient;  $\lambda_d = 1, \lambda_j = 0, \forall j \in N \setminus \{d\}, \kappa \equiv 0$ : dictatorial

- 5 **Max-min/egalitarian**

$$f^{MM}(\theta) \in \arg \max_{a \in A} \min_{i \in N} v_i(a, \theta_i)$$

# Example Payment Rules



- **No deficit:**  $\sum_{i \in N} p_i(\theta) \geq 0, \forall \theta \in \Theta$

# Example Payment Rules



- 1 **No deficit:**  $\sum_{i \in N} p_i(\theta) \geq 0, \forall \theta \in \Theta$
- 2 **No subsidy:**  $p_i(\theta) \geq 0, \forall \theta \in \Theta, \forall i \in N$

# Example Payment Rules



- 1 **No deficit:**  $\sum_{i \in N} p_i(\theta) \geq 0, \forall \theta \in \Theta$
- 2 **No subsidy:**  $p_i(\theta) \geq 0, \forall \theta \in \Theta, \forall i \in N$
- 3 **Budget balanced:**  $\sum_{i \in N} p_i(\theta) = 0, \forall \theta \in \Theta$



# Example Payment Rules



- 1 **No deficit:**  $\sum_{i \in N} p_i(\theta) \geq 0, \forall \theta \in \Theta$
- 2 **No subsidy:**  $p_i(\theta) \geq 0, \forall \theta \in \Theta, \forall i \in N$
- 3 **Budget balanced:**  $\sum_{i \in N} p_i(\theta) = 0, \forall \theta \in \Theta$



# Example Payment Rules

- 1 **No deficit:**  $\sum_{i \in N} p_i(\theta) \geq 0, \forall \theta \in \Theta$
- 2 **No subsidy:**  $p_i(\theta) \geq 0, \forall \theta \in \Theta, \forall i \in N$
- 3 **Budget balanced:**  $\sum_{i \in N} p_i(\theta) = 0, \forall \theta \in \Theta$

## Definition (DSIC)

A mechanism  $(f, p)$  is **dominant strategy incentive compatible (DSIC)** if

$$v_i(f(\theta_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta_i, \tilde{\theta}_{-i}) \geq v_i(f(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta'_i, \tilde{\theta}_{-i}), \forall \tilde{\theta}_{-i} \in \Theta_{-i}, \theta'_i, \theta_i \in \Theta_i, \forall i \in N$$



- DSIC means truthtelling is a weakly DSE



- DSIC means truthtelling is a weakly DSE
- We say that the payment rule  $p$  implements an allocation rule  $f$  in dominant strategies (OR)  $f$  is implementable in dominant strategies (by a payment rule)



- DSIC means truthtelling is a weakly DSE
- We say that the payment rule  $p$  implements an allocation rule  $f$  in dominant strategies (OR)  $f$  is implementable in dominant strategies (by a payment rule)
- In QL domain, we are often more interested in the allocation rule than the whole SCF (which also includes payment)



- DSIC means truthtelling is a weakly DSE
- We say that the payment rule  $p$  implements an allocation rule  $f$  in dominant strategies (OR)  $f$  is implementable in dominant strategies (by a payment rule)
- In QL domain, we are often more interested in the allocation rule than the whole SCF (which also includes payment)



- DSIC means truthtelling is a weakly DSE
- We say that the payment rule  $p$  implements an allocation rule  $f$  in dominant strategies (OR)  $f$  is implementable in dominant strategies (by a payment rule)
- In QL domain, we are often more interested in the allocation rule than the whole SCF (which also includes payment)

### Question

What needs to be satisfied for a DSIC mechanism  $(f, p)$ ?



## Question

What needs to be satisfied for a DSIC mechanism  $(f, p)$ ?





## Question

What needs to be satisfied for a DSIC mechanism  $(f, p)$ ?

## Example

$N = \{1, 2\}, \Theta_1 = \Theta_2 = \{\theta^H, \theta^L\}, f : \Theta_1 \times \Theta_2 \rightarrow A$ . The following conditions must hold



## Question

What needs to be satisfied for a DSIC mechanism  $(f, p)$ ?

## Example

$N = \{1, 2\}, \Theta_1 = \Theta_2 = \{\theta^H, \theta^L\}, f : \Theta_1 \times \Theta_2 \rightarrow A$ . The following conditions must hold  
**Player 1:**

$$v_1(f(\theta^H, \theta_2), \theta^H) - p_1(\theta^H, \theta_2) \geq v_1(f(\theta^L, \theta_2), \theta^H) - p_1(\theta^L, \theta_2), \forall \theta_2 \in \Theta_2 \quad (1)$$

$$v_1(f(\theta^L, \theta_2), \theta^L) - p_1(\theta^L, \theta_2) \geq v_1(f(\theta^H, \theta_2), \theta^L) - p_1(\theta^H, \theta_2), \forall \theta_2 \in \Theta_2 \quad (2)$$



## Question

What needs to be satisfied for a DSIC mechanism  $(f, p)$ ?

## Example

$N = \{1, 2\}, \Theta_1 = \Theta_2 = \{\theta^H, \theta^L\}, f : \Theta_1 \times \Theta_2 \rightarrow A$ . The following conditions must hold

**Player 1:**

$$v_1(f(\theta^H, \theta_2), \theta^H) - p_1(\theta^H, \theta_2) \geq v_1(f(\theta^L, \theta_2), \theta^H) - p_1(\theta^L, \theta_2), \forall \theta_2 \in \Theta_2 \quad (1)$$

$$v_1(f(\theta^L, \theta_2), \theta^L) - p_1(\theta^L, \theta_2) \geq v_1(f(\theta^H, \theta_2), \theta^L) - p_1(\theta^H, \theta_2), \forall \theta_2 \in \Theta_2 \quad (2)$$

**Player 2:**

$$v_2(f(\theta^H, \theta_1), \theta^H) - p_2(\theta^H, \theta_1) \geq v_2(f(\theta^L, \theta_1), \theta^H) - p_2(\theta^L, \theta_1), \forall \theta_1 \in \Theta_1 \quad (3)$$

$$v_2(f(\theta^L, \theta_1), \theta^L) - p_2(\theta^L, \theta_1) \geq v_2(f(\theta^H, \theta_1), \theta^L) - p_2(\theta^H, \theta_1), \forall \theta_1 \in \Theta_1 \quad (4)$$

# Properties of the Payment



- Say  $(f, p)$  is incentive compatible, i.e.,  $p$  implements  $f$

# Properties of the Payment



- Say  $(f, p)$  is incentive compatible, i.e.,  $p$  implements  $f$
- Consider another payment

$$q_i(\theta_i, \theta_{-i}) = p_i(\theta_i, \theta_{-i}) + h_i(\theta_{-i}), \forall \theta, \forall i \in N$$



# Properties of the Payment

- Say  $(f, p)$  is incentive compatible, i.e.,  $p$  implements  $f$
- Consider another payment

$$q_i(\theta_i, \theta_{-i}) = p_i(\theta_i, \theta_{-i}) + h_i(\theta_{-i}), \forall \theta, \forall i \in N$$

- **Question:** Is  $(f, q)$  DSIC?

$$v_i(f(\theta_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta_i, \tilde{\theta}_{-i}) - h_i(\tilde{\theta}_{-i}) \geq v_i(f(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta'_i, \tilde{\theta}_{-i}) - h_i(\tilde{\theta}_{-i}), \forall \theta_i, \theta'_i, \tilde{\theta}_{-i}, \forall i \in N$$

# Properties of the Payment



- Say  $(f, p)$  is incentive compatible, i.e.,  $p$  implements  $f$
- Consider another payment

$$q_i(\theta_i, \theta_{-i}) = p_i(\theta_i, \theta_{-i}) + h_i(\theta_{-i}), \forall \theta, \forall i \in N$$

- **Question:** Is  $(f, q)$  DSIC?

$$v_i(f(\theta_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta_i, \tilde{\theta}_{-i}) - h_i(\tilde{\theta}_{-i}) \geq v_i(f(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta'_i, \tilde{\theta}_{-i}) - h_i(\tilde{\theta}_{-i}), \forall \theta_i, \theta'_i, \tilde{\theta}_{-i}, \forall i \in N$$

- If we can find a payment that implements an allocation rule, there exists uncountably many payments that can implement it

# Properties of the Payment



- Say  $(f, p)$  is incentive compatible, i.e.,  $p$  implements  $f$
- Consider another payment

$$q_i(\theta_i, \theta_{-i}) = p_i(\theta_i, \theta_{-i}) + h_i(\theta_{-i}), \forall \theta, \forall i \in N$$

- **Question:** Is  $(f, q)$  DSIC?

$$v_i(f(\theta_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta_i, \tilde{\theta}_{-i}) - h_i(\tilde{\theta}_{-i}) \geq v_i(f(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta'_i, \tilde{\theta}_{-i}) - h_i(\tilde{\theta}_{-i}), \forall \theta_i, \theta'_i, \tilde{\theta}_{-i}, \forall i \in N$$

- If we can find a payment that implements an allocation rule, there exists uncountably many payments that can implement it
- **The converse question:** when do the payments that implement  $f$  differ only by a factor  $h_i(\theta_{-i})$ ?



# Properties of the Payment



- Suppose the allocation is same in two type profiles  $\theta$  and  $\tilde{\theta} = (\tilde{\theta}_i, \theta_{-i})$
- i.e.,  $f(\theta) = f(\tilde{\theta}) = a$ , then
- if  $p$  implements  $f$ , then  $p_i(\theta) = p_i(\tilde{\theta})$  **[exercise]**



- ▶ Task Allocation Domain
- ▶ The Uniform Rule
- ▶ Mechanism Design with Transfers
- ▶ Quasi Linear Preferences
- ▶ Pareto Optimality and Groves Payments



# Pareto Optimality in Quasi-linear domain

## Definition (Pareto Optimal)

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** if at any type profile  $\theta \in \Theta$ , there does not exist an allocation  $b \neq f(\theta)$  and payments  $(\pi_1, \dots, \pi_n)$  with  $\sum_{i \in N} \pi_i \geq \sum_{i \in N} p_i(\theta)$  s.t.,

$$v_i(b, \theta_i) - \pi_i \geq v_i(f(\theta), \theta_i) - p_i(\theta), \forall i \in N,$$

with the inequality being strict for some  $i \in N$



# Pareto Optimality in Quasi-linear domain

## Definition (Pareto Optimal)

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** if at any type profile  $\theta \in \Theta$ , there does not exist an allocation  $b \neq f(\theta)$  and payments  $(\pi_1, \dots, \pi_n)$  with  $\sum_{i \in N} \pi_i \geq \sum_{i \in N} p_i(\theta)$  s.t.,

$$v_i(b, \theta_i) - \pi_i \geq v_i(f(\theta), \theta_i) - p_i(\theta), \forall i \in N,$$

with the inequality being strict for some  $i \in N$

- Pareto optimality is meaningless if there is no restriction on the payment
- One can always put excessive subsidy to every agent to make everyone better off
- So, the condition requires to spend at least the same budget

# Pareto Optimality in Quasi-linear Domain



## Theorem

*A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** iff it is allocatively efficient*



# Pareto Optimality in Quasi-linear Domain

## Theorem

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** iff it is allocatively efficient

- (  $\Longleftrightarrow$  ) we prove  $\neg \text{PO} \implies \neg \text{AE}$



# Pareto Optimality in Quasi-linear Domain

## Theorem

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** iff it is allocatively efficient

- (  $\Longleftrightarrow$  ) we prove  $\neg \text{PO} \implies \neg \text{AE}$
- $\neg \text{PO}, \exists b, \pi, \theta$  s.t.  $\sum_{i \in N} \pi_i \geq \sum_{i \in N} p_i(\theta)$



# Pareto Optimality in Quasi-linear Domain

## Theorem

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** iff it is allocatively efficient

- (  $\Longleftrightarrow$  ) we prove  $\neg \text{PO} \implies \neg \text{AE}$
- $\neg \text{PO}, \exists b, \pi, \theta$  s.t.  $\sum_{i \in N} \pi_i \geq \sum_{i \in N} p_i(\theta)$
- $v_i(b, \theta_i) - \pi_i \geq v_i(f(\theta), \theta_i) - p_i(\theta), \forall i \in N$ , strict for some  $j \in N$





# Pareto Optimality in Quasi-linear Domain

## Theorem

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** iff it is allocatively efficient

- (  $\Leftarrow$  ) we prove  $\neg \text{PO} \implies \neg \text{AE}$
- $\neg \text{PO}$ ,  $\exists b, \pi, \theta$  s.t.  $\sum_{i \in N} \pi_i \geq \sum_{i \in N} p_i(\theta)$
- $v_i(b, \theta_i) - \pi_i \geq v_i(f(\theta), \theta_i) - p_i(\theta)$ ,  $\forall i \in N$ , strict for some  $j \in N$
- summing over the all these inequalities

$$\begin{aligned} \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} \pi_i &> \sum_{i \in N} v_i(f(\theta), \theta_i) - \sum_{i \in N} p_i(\theta) \\ \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) &> \sum_{i \in N} \pi_i - \sum_{i \in N} p_i(\theta) \geq 0 \end{aligned}$$



# Pareto Optimality in Quasi-linear Domain

## Theorem

A mechanism  $(f, (p_1, \dots, p_n))$  is **Pareto optimal** iff it is allocatively efficient

- $(\Leftarrow)$  we prove  $\neg\text{PO} \implies \neg\text{AE}$
- $\neg\text{PO}, \exists b, \pi, \theta$  s.t.  $\sum_{i \in N} \pi_i \geq \sum_{i \in N} p_i(\theta)$
- $v_i(b, \theta_i) - \pi_i \geq v_i(f(\theta), \theta_i) - p_i(\theta), \forall i \in N$ , strict for some  $j \in N$
- summing over the all these inequalities

$$\begin{aligned} \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} \pi_i &> \sum_{i \in N} v_i(f(\theta), \theta_i) - \sum_{i \in N} p_i(\theta) \\ \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) &> \sum_{i \in N} \pi_i - \sum_{i \in N} p_i(\theta) \geq 0 \end{aligned}$$

- $f$  is  $\neg\text{AE}$



- $(\implies) \neg AE \implies \neg PO$



- $(\implies) \neg \text{AE} \implies \neg \text{PO}$
- $\neg \text{AE} \implies \exists \theta, b \neq f(\theta) \text{ s.t. } \sum_{i \in N} v_i(b, \theta_i) > \sum_{i \in N} v_i(f(\theta), \theta_i)$



- $(\implies) \neg \text{AE} \implies \neg \text{PO}$
- $\neg \text{AE} \implies \exists \theta, b \neq f(\theta) \text{ s.t. } \sum_{i \in N} v_i(b, \theta_i) > \sum_{i \in N} v_i(f(\theta), \theta_i)$
- Let  $\delta = \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) > 0$



- $(\implies) \neg \text{AE} \implies \neg \text{PO}$
- $\neg \text{AE} \implies \exists \theta, b \neq f(\theta) \text{ s.t. } \sum_{i \in N} v_i(b, \theta_i) > \sum_{i \in N} v_i(f(\theta), \theta_i)$
- Let  $\delta = \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) > 0$
- Consider payment  $\pi_i = v_i(b, \theta_i) - v_i(f(\theta), \theta_i) + p_i(\theta) - \delta/n, \forall i \in N$



- $(\implies) \neg \text{AE} \implies \neg \text{PO}$
- $\neg \text{AE} \implies \exists \theta, b \neq f(\theta) \text{ s.t. } \sum_{i \in N} v_i(b, \theta_i) > \sum_{i \in N} v_i(f(\theta), \theta_i)$
- Let  $\delta = \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) > 0$
- Consider payment  $\pi_i = v_i(b, \theta_i) - v_i(f(\theta), \theta_i) + p_i(\theta) - \delta/n, \forall i \in N$
- Hence,  $(v_i(b, \theta_i) - \pi_i) - (v_i(f(\theta), \theta_i) - p_i(\theta)) = \delta/n > 0, \forall i \in N$



- $(\implies) \neg \text{AE} \implies \neg \text{PO}$
- $\neg \text{AE} \implies \exists \theta, b \neq f(\theta) \text{ s.t. } \sum_{i \in N} v_i(b, \theta_i) > \sum_{i \in N} v_i(f(\theta), \theta_i)$
- Let  $\delta = \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) > 0$
- Consider payment  $\pi_i = v_i(b, \theta_i) - v_i(f(\theta), \theta_i) + p_i(\theta) - \delta/n, \forall i \in N$
- Hence,  $(v_i(b, \theta_i) - \pi_i) - (v_i(f(\theta), \theta_i) - p_i(\theta)) = \delta/n > 0, \forall i \in N$
- also  $\sum_{i \in N} \pi_i = \sum_{i \in N} p_i(\theta)$





- $(\implies) \neg \text{AE} \implies \neg \text{PO}$
- $\neg \text{AE} \implies \exists \theta, b \neq f(\theta) \text{ s.t. } \sum_{i \in N} v_i(b, \theta_i) > \sum_{i \in N} v_i(f(\theta), \theta_i)$
- Let  $\delta = \sum_{i \in N} v_i(b, \theta_i) - \sum_{i \in N} v_i(f(\theta), \theta_i) > 0$
- Consider payment  $\pi_i = v_i(b, \theta_i) - v_i(f(\theta), \theta_i) + p_i(\theta) - \delta/n, \forall i \in N$
- Hence,  $(v_i(b, \theta_i) - \pi_i) - (v_i(f(\theta), \theta_i) - p_i(\theta)) = \delta/n > 0, \forall i \in N$
- also  $\sum_{i \in N} \pi_i = \sum_{i \in N} p_i(\theta)$
- Hence  $f$  is not PO

# Allocatively Efficient Rule is Implementable



- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**



# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$



# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$
- $\theta_1 = 10, \theta_2 = 8, \theta_3 = 6, \theta_4 = 4$ , when they get the object, zero otherwise



# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$
- $\theta_1 = 10, \theta_2 = 8, \theta_3 = 6, \theta_4 = 4$ , when they get the object, zero otherwise
- Let  $h_i(\theta_{-i}) = \min \theta_{-i}$



# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$
- $\theta_1 = 10, \theta_2 = 8, \theta_3 = 6, \theta_4 = 4$ , when they get the object, zero otherwise
- Let  $h_i(\theta_{-i}) = \min \theta_{-i}$
- If everyone reports their true type, the values of  $h_i$  are  $h_1 = 4, h_2 = 4, h_3 = 4, h_4 = 6$



# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$
- $\theta_1 = 10, \theta_2 = 8, \theta_3 = 6, \theta_4 = 4$ , when they get the object, zero otherwise
- Let  $h_i(\theta_{-i}) = \min \theta_{-i}$
- If everyone reports their true type, the values of  $h_i$  are  $h_1 = 4, h_2 = 4, h_3 = 4, h_4 = 6$
- The efficient allocation gives the item to agent 1



# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$
- $\theta_1 = 10, \theta_2 = 8, \theta_3 = 6, \theta_4 = 4$ , when they get the object, zero otherwise
- Let  $h_i(\theta_{-i}) = \min \theta_{-i}$
- If everyone reports their true type, the values of  $h_i$  are  $h_1 = 4, h_2 = 4, h_3 = 4, h_4 = 6$
- The efficient allocation gives the item to agent 1
- $p_1 = 4 - 0 = 4, p_2 = 4 - 10 = -6, p_3 = 4 - 10 = -6, p_4 = 6 - 10 = -4$ , i.e., only player 1 pays, other get paid





# Allocatively Efficient Rule is Implementable

- Consider the following payment:  $p_i^G(\theta_i, \theta_{-i}) = h_i(\theta_{-i}) - \sum_{j \neq i} v_j(f^{AE}(\theta_i, \theta_{-i}), \theta_j)$ , where  $h_i : \Theta_{-i} \rightarrow \mathbb{R}$  is an arbitrary function: **Groves payment**

## Example

- Single indivisible item allocation  $N = \{1, 2, 3, 4\}$
- $\theta_1 = 10, \theta_2 = 8, \theta_3 = 6, \theta_4 = 4$ , when they get the object, zero otherwise
- Let  $h_i(\theta_{-i}) = \min \theta_{-i}$
- If everyone reports their true type, the values of  $h_i$  are  $h_1 = 4, h_2 = 4, h_3 = 4, h_4 = 6$
- The efficient allocation gives the item to agent 1
- $p_1 = 4 - 0 = 4, p_2 = 4 - 10 = -6, p_3 = 4 - 10 = -6, p_4 = 6 - 10 = -4$ , i.e., only player 1 pays, other get paid
- Surprisingly, this is a truthful mechanism**

# Groves mechanisms are Truthful



## Theorem

*Groves mechanisms are DSIC*

- Consider player  $i$

# Groves mechanisms are Truthful



## Theorem

*Groves mechanisms are DSIC*

- Consider player  $i$
- $f^{AE}(\theta_i, \tilde{\theta}_{-i}) = a$ , and  $f^{AE}(\theta'_i, \tilde{\theta}_{-i}) = b$

# Groves mechanisms are Truthful



## Theorem

*Groves mechanisms are DSIC*

- Consider player  $i$
- $f^{AE}(\theta_i, \tilde{\theta}_{-i}) = a$ , and  $f^{AE}(\theta'_i, \tilde{\theta}_{-i}) = b$
- By definition,  $v_i(a, \theta_i) + \sum_{j \neq i} v_j(a, \tilde{\theta}_j) \geq v_i(b, \theta_i) + \sum_{j \neq i} v_j(b, \tilde{\theta}_j)$

# Groves mechanisms are Truthful



## Theorem

*Groves mechanisms are DSIC*

- Consider player  $i$
- $f^{AE}(\theta_i, \tilde{\theta}_{-i}) = a$ , and  $f^{AE}(\theta'_i, \tilde{\theta}_{-i}) = b$
- By definition,  $v_i(a, \theta_i) + \sum_{j \neq i} v_j(a, \tilde{\theta}_j) \geq v_i(b, \theta_i) + \sum_{j \neq i} v_j(b, \tilde{\theta}_j)$
- utility of player  $i$  when he reports  $\theta_i$  is

$$\begin{aligned} & v_i(f^{AE}(\theta_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta_i, \tilde{\theta}_{-i}) \\ &= v_i(f^{AE}(\theta_i, \tilde{\theta}_{-i}), \theta_i) - h_i(\tilde{\theta}_{-i}) + \sum_{j \neq i} v_j(f^{AE}(\theta_i, \tilde{\theta}_{-i}), \tilde{\theta}_j) \\ &\geq v_i(f^{AE}(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - h_i(\tilde{\theta}_{-i}) + \sum_{j \neq i} v_j(f^{AE}(\theta'_i, \tilde{\theta}_{-i}), \tilde{\theta}_j) \\ &= v_i(f^{AE}(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta'_i, \tilde{\theta}_{-i}) \end{aligned}$$



# Groves mechanisms are Truthful

## Theorem

*Groves mechanisms are DSIC*

- Consider player  $i$
- $f^{AE}(\theta_i, \tilde{\theta}_{-i}) = a$ , and  $f^{AE}(\theta'_i, \tilde{\theta}_{-i}) = b$
- By definition,  $v_i(a, \theta_i) + \sum_{j \neq i} v_j(a, \tilde{\theta}_j) \geq v_i(b, \theta_i) + \sum_{j \neq i} v_j(b, \tilde{\theta}_j)$
- utility of player  $i$  when he reports  $\theta_i$  is

$$\begin{aligned} & v_i(f^{AE}(\theta_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta_i, \tilde{\theta}_{-i}) \\ &= v_i(f^{AE}(\theta_i, \tilde{\theta}_{-i}), \theta_i) - h_i(\tilde{\theta}_{-i}) + \sum_{j \neq i} v_j(f^{AE}(\theta_i, \tilde{\theta}_{-i}), \tilde{\theta}_j) \\ &\geq v_i(f^{AE}(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - h_i(\tilde{\theta}_{-i}) + \sum_{j \neq i} v_j(f^{AE}(\theta'_i, \tilde{\theta}_{-i}), \tilde{\theta}_j) \\ &= v_i(f^{AE}(\theta'_i, \tilde{\theta}_{-i}), \theta_i) - p_i(\theta'_i, \tilde{\theta}_{-i}) \end{aligned}$$

- Since player  $i$  was arbitrary, this holds for all  $i \in N$ . Hence the claim.



भारतीय प्रौद्योगिकी संस्थान मुंबई

# Indian Institute of Technology Bombay