

CS766: Analysis of concurrent programs (first half) 2022

Lecture 7: Thinking concurrency

Instructor: Ashutosh Gupta

IITB, India

Compile date: 2022-01-28

Topic 7.1

Concurrency

We all have multicore machines

1. All on same chip
2. Shared memory
3. Number of cores are ever increasing

Cores were bigger and programs ran faster

Moore's law: every year we bought faster computers.

Cores were bigger and programs ran faster

Moore's law: every year we bought faster computers.

More cores and programs got stuck...

- ▶ Speedup is not is sublinear
- ▶ Cores are waiting on each other
- ▶ Synchronization needs a careful design

Sequential vs concurrent

- ▶ One processor is working on memory
- ▶ Multiple processor is working on shared memory

Asynchronous

Unpredictable delays

- ▶ Cache misses
- ▶ Page fault
- ▶ Waiting to be scheduled
- ▶ killed process

Exercise 7.1

What are the expected delays in the above conditions?

Concurrency jargon

We will consider the following synonymous.

- ▶ Processors
- ▶ Threads
- ▶ Process

Topic 7.2

An example

Example: concurrent primality testing

- ▶ Objective : print primes from 1 to 10^{10}
- ▶ Resources : 10 processors; one thread per processor
- ▶ Goal: Get 10 fold speedup

EvenPrime: divide the load in equal parts

- ▶ Each thread tests range of 10^9


```
void evenPrime {  
    int i = thread.getId(); // IDs in {0..9}  
    for( int j = i*10^9 +1, j<(i+1)*10^9 ; j++ ) {  
        if( isPrime(j) )  
            print(j);  
    }  
}
```

- ▶ Higher ranges have **fewer primes** and larger numbers **harder to test**
- ▶ Thread workloads: actually **uneven** and hard to predict
- ▶ Need dynamic **load balancing**

DynamicPrime: free threads get a number

```
int counter = 1;           // global - lives in shared memory

// code of each thread
void dynamicPrime {
    long j = 0;
    while (j < 10^10 ) {    // stop when all values taken
        j = counter++;
        if( isPrime(j) )
            print(j);
    }
}
```



Exercise 7.2

Will the above really stop at 10^9 ?

Implementation of counter++

Running in each thread:

```
tmp = counter;    // global read
counter = tmp+1;  // global write
j = tmp;          // local
```

An **undesirable** execution:

```
thread0: Rcounter=1
thread1: Rcounter=1
thread1: Wcounter=2
thread0: Wcounter=2
```

Notation of Memory events:

$R/W\langle\text{VariableName}\rangle=\langle\text{Value}\rangle$

A hardware fix of the problem.

If somehow we can glue the following read and write events.

```
tmp = counter;    // global read
counter = tmp+1;  // global write
```

Modern processor **provide ReadModifyWrite instruction** for this task.

Algorithmic mutual exclusion

Let us suppose we do not have such an instruction.

We need to ensure that the processes do not interfere each other.


Let us develop ideas that allow us to implement **mutual exclusion** without special instruction.

Topic 7.3


The fable - by Maurice Herlihy and Nir Shavit

The fable: Alice and bob share a pond

- ▶ Both Alice and Bob have pets
- ▶ Pets **hate each other**



Alice



Bob

Two kind of requirements

- ▶ Safety : nothing **bad happens**
 - ▶ Both pets never in the pond at the same time.
- ▶ Liveness: something good **eventually** happens
 - ▶ If only one wants in, it gets in
 - ▶ If both wants in, one gets in

Mutual exclusion

starvation-free
deadlock-free

Simple protocol

Protocol:

- ▶ Look at the pond
- ▶ Release pet in the pond

Issues:

- ▶ Looking and release are **not atomic**
- ▶ They **may not** be fully visible to each other.

Lessons:

- ▶ Threads cannot see internal actions of each other.
- ▶ Explicit communication required

Phone protocol

Protocol:

- ▶ They call each other.
- ▶ Only after a permission, they put their pet in.

Issues:

- ▶ Bob is taking shower when Alice called
- ▶ Alice may be dead when Bob called.

Lessons:

- ▶ Recipient thread may be busy or killed
- ▶ Communication must be **persistent** (like writing) not **transient** (like talking)
- ▶ Message passing does not work

Can protocol

Protocol:

- ▶ Cans on the windowsill of Alice
- ▶ Strings attached to the cans go to Bob's house
- ▶ Bob pulls the string and knocks over the cans.

Issues:


- ▶ Cans cannot be used again_(why?)
- ▶ Bob runs out of cans.

Lessons:

- ▶ Interrupts (sender sets and receiver resets when ready) cannot solve mutual exclusion
- ▶ Needs unbound interrupt bits

Flag protocol: both have flags

- ▶ They can raise and lower their flags.
- ▶ Both can see each other's flags.



Alice




Bob




Flag protocol: access for alice

1. Raise flag
2. Wait until Bob's flag is down
3. Release pet
4. Lower flag when pet returns



Alice



Bob


Flag protocol: access for Bob

1. Raise flag
2. Wait until Alice's flag is down
3. Release pet
4. Lower flag when pet returns


Deadlock possible

Exercise 7.3

Can we swap instructions 1 and 2 in both or in one?



Alice



Bob

2nd Flag protocol for Bob to avoid deadlock

1. Raise flag
2. While Alice's flag is up
 - ▶ Lower flag
 - ▶ Wait for Alice's flag to go down
 - ▶ Raise flag
3. Unleash pet
4. Lower flag when pet returns

Alice has priority. Starvation for Bob is possible

Proving mutual exclusion in 2nd flag protocol


pre: $aF := bF := 0$

```
thread Alice:
a1: aF = 1
a2: while (bF == 1);
a3: ... // critical
a4: aF := 0

thread Bob:
b1: bF := 1
b2: while (aF == 1) {
b3:   bF := 0
b4:   while (aF == 1);
b5:   bF := 1
b6: }
b7: ... // critical
b8: bF := 0
```

There **cannot be a cycle** in the trace drawing.
Therefore, the trace is impossible.

Violating execution:
Assume threads reached critical
section at the same time.



What is fr?

Proving deadlock freedom in 2nd flag protocol


pre: $aF := bF := 0$

```
thread Alice:
a1:aF = 1
a2:while (bF==1);
a3:...// critical
a4:aF := 0

thread Bob:
b1:bF := 1
b2:while (aF==1){
b3:  bF := 0
b4:  while (aF==1);
b5:  bF := 1
b6:}
b7:...//critical
b8:bF := 0
```

b3 **cannot happen** after infinitely many events $a2, a2, \dots$

Violating execution: Assume both threads are stuck in lassos



End of Lecture 7