

Advanced Tools from Modern Cryptography

Lecture 2

First Tool: Secret-Sharing

Secret-Sharing

- Dealer encodes a message into n shares for n parties
 - Privileged subsets of parties should be able to reconstruct the secret
 - **Access Structure:** Set of all privileged sets
 - View of an unprivileged subset should be independent of the secret
- Very useful
 - Direct applications (distributed storage of data or keys)
 - Important component in other cryptographic constructions
 - Secure multi-party computation
 - Attribute-Based Encryption
 - Leakage resilience ...

Threshold Secret-Sharing

- (n,t) -secret-sharing
 - Divide a message m into n shares s_1, \dots, s_n , such that
 - any t shares are enough to reconstruct the secret
 - up to $t-1$ shares should have no information about the secret
 - Recall last time: $(2,2)$ secret-sharing

e.g., (s_1, \dots, s_{t-1}) has the same distribution for every m in the message space

Threshold Secret-Sharing

Additive
Secret-Sharing

- Construction: (n,n) secret-sharing
 - Message-space = share-space = G , a finite **group**
 - e.g. $G = \mathbb{Z}_2$ (group of bits, with xor as the group operation)
 - or, $G = \mathbb{Z}_2^d$ (group of d -bit strings)
 - or, $G = \mathbb{Z}_p$ (group of integers mod p)
 - Share(M):
 - Pick s_1, \dots, s_{n-1} uniformly at random from G
 - Let $s_n = -(s_1 + \dots + s_{n-1}) + M$
 - Reconstruct(s_1, \dots, s_n): $M = s_1 + \dots + s_n$
 - Claim: This is an (n,n) secret-sharing scheme [**Why?**]

PROOF

Additive Secret-Sharing: Proof

• Share(M):

• Pick s_1, \dots, s_{n-1} uniformly at random from G

• Let $s_n = M - (s_1 + \dots + s_{n-1})$

• Reconstruct(s_1, \dots, s_n): $M = s_1 + \dots + s_n$

• **Claim:** Upto $n-1$ shares give no information about M

• **Proof:** Let $T \subseteq \{1, \dots, n\}$, $|T| = n-1$. We shall show that $\{s_i\}_{i \in T}$ is distributed the same way (in fact, uniformly) irrespective of what M is.

• For $T = \{1, \dots, n-1\}$, true by construction. How about other T ?

• For concreteness consider $T = \{2, \dots, n\}$. Fix any $(n-1)$ -tuple of elements in G , $(g_1, \dots, g_{n-1}) \in G^{n-1}$. To prove $\Pr[(s_2, \dots, s_n) = (g_1, \dots, g_{n-1})]$ is same for all M .

• Fix any M .

• $(s_2, \dots, s_n) = (g_1, \dots, g_{n-1}) \Leftrightarrow (s_2, \dots, s_{n-1}) = (g_1, \dots, g_{n-2})$ and $s_n = M - (g_1 + \dots + g_{n-1})$.


• So $\Pr[(s_2, \dots, s_n) = (g_1, \dots, g_{n-1})] = \Pr[(s_1, \dots, s_{n-1}) = (a, g_1, \dots, g_{n-2})]$, $a := (M - (g_1 + \dots + g_{n-1}))$

• But $\Pr[(s_1, \dots, s_{n-1}) = (a, g_1, \dots, g_{n-2})] = 1/|G|^{n-1}$, since (s_1, \dots, s_{n-1}) uniform over G^{n-1}

• Hence $\Pr[(s_2, \dots, s_n) = (g_1, \dots, g_{n-1})] = 1/|G|^{n-1}$, irrespective of M . □

An Application

- Gives a “private summation” protocol (for commutative groups)




- “Secure against passive corruption” (i.e., no colluding set of servers/clients learn more than what they must) if at least one server stays out of the collusion

Linear Secret-Sharing

Another look at additive secret-sharing

Multiplication by ± 1 and 0 well-defined in a group.
But more generally, we shall consider a **field**.



Linear Secret-Sharing over a field: message and shares are field elements

Reconstruction by a set $T \subseteq [n]$: solve the message from given shares

i.e., solve $W_T \begin{bmatrix} M \\ r \end{bmatrix} = s_T$ for M

Security of Linear Secret-Sharing


- Claim: Every such linear scheme is a secure secret-sharing scheme for some access structure
- Suppose $T \subseteq [n]$ s.t. M not uniquely reconstructible from \underline{s}_T
 - i.e., solution space (of \underline{z}) for $W_T \cdot \underline{z} = \underline{s}_T$ contains at least two points with distinct values α and β for M
 - Then, $\forall \gamma \in F$, the solution space has a point with $M=\gamma$
(e.g., convex combination of the above points with factors $(\gamma-\beta)/(\alpha-\beta)$ and $(\alpha-\gamma)/(\alpha-\beta)$)
 - Therefore, for any $\gamma \in F$, can add equation $M=\gamma$ and get a solution space of dimension $d-1$
 - i.e., with $M=\gamma$, exactly $|F|^{d-1}$ choices of randomness \underline{r} that give \underline{s}_T
 - i.e., for all \underline{s}_T and γ , $\Pr[\text{view}=\underline{s}_T \mid M=\gamma] = |F|^{d-1}/|F|^{t-1}$

Threshold Secret-Sharing

- Construction: $(n,2)$ secret-sharing
- Message-space = share-space = F , a finite **field** (e.g. integers mod prime)
- Share(M): pick random r . Let $s_i = r \cdot a_i + M$ (for $i=1, \dots, n < |F|$)
- Reconstruct(s_i, s_j): $r = (s_i - s_j) / (a_i - a_j)$; $M = s_i - r \cdot a_i$
- Each s_i by itself is uniformly distributed, irrespective of M [Why?]
- "Geometric" interpretation
- Sharing picks a random "line" $y = f(x)$, such that $f(0) = M$. Shares $s_i = f(a_i)$.
- s_i is independent of M : exactly one line passing through (a_i, s_i) and $(0, M')$ for any secret M'
- But can reconstruct the line from two points!

a_i are n distinct, non-zero field elements

Since a_i^{-1} exists, exactly one solution for $r \cdot a_i + M = d$, for every value of d




Threshold Secret-Sharing

- (n,t) secret-sharing in a (large enough) field F
- Generalizing the geometric/algebraic view: instead of lines, use **polynomials**
- Share(m): Pick a random degree $t-1$ polynomial $f(X)$, such that $f(0)=M$. Shares are $s_i = f(a_i)$.
 - Random polynomial with $f(0)=M$: $c_0 + c_1X + c_2X^2 + \dots + c_{t-1}X^{t-1}$ by picking $c_0=M$ and c_1, \dots, c_{t-1} at random.
- Reconstruct(s_1, \dots, s_t): Lagrange interpolation to find $M=c_0$
 - Given t points can reconstruct the polynomial. Given $< t$ points, for any M' , there are polynomials which pass through $(0, M')$
- **Secrecy**: Shamir's scheme is linear!

Shamir Secret-Sharing

Linearity of Shamir Secret-Sharing

- Shamir's scheme is a linear secret-sharing scheme



- Which sets $T \subseteq [n]$ can reconstruct? i.e., T s.t. W_T spans $[1 \ 0 \ \dots \ 0]$?
- W_T spans $[1 \ 0 \ \dots \ 0]$ iff $|T| \geq t$
 - For $|T|=t$, W_T is a **Vandermonde matrix**, and is a basis for \mathbb{F}^t
 - For $|T| < t$, can add a row $[1 \ 0 \ \dots \ 0]$ and (optionally) more rows of the form $[1 \ a \ a^2 \ \dots \ a^t]$ to get a Vandermonde matrix. So $[1 \ 0 \ \dots \ 0]$ is independent of the rows of W_T
- Secrecy: guaranteed for any linear secret-sharing scheme

More General Access Structures

- Idea: For arbitrary monotonic access structure \mathcal{A} , there is a "basis" \mathcal{B} of minimal sets in \mathcal{A} . For each S in \mathcal{B} generate an $(|S|, |S|)$ sharing, and distribute them to the members of S .

- Works, but very "inefficient"

$$|\mathcal{B}| = \binom{n}{t}$$

- How big is \mathcal{B} ? (Say when \mathcal{A} is a threshold access structure)


- Total share complexity = $\sum_{S \in \mathcal{B}} |S|$ field elements. (Compare with Shamir's scheme: n field elements in all.)

$$t \cdot \binom{n}{t}$$

- More efficient schemes known for large classes of access structures

More General Access Structures

- A simple generalization of threshold access structures
- A threshold tree to specify the access structure
- Can realize by recursively threshold secret-sharing the shares



- Note: linear secret-sharing
- Fact: Access structures that admit linear secret-sharing are those which can be specified using "monotone span programs"

Today

- Secret-sharing schemes
 - (n,t) Threshold secret-sharing
 - Additive sharing for (n,n)
 - Shamir secret-sharing for all (n,t)
 - Optimal (ideal) when message-space is a field with more than n elements
 - Linear secret-sharing