

Public-Key Cryptography

Lecture 9

Public-Key Encryption
Diffie-Hellman Key-Exchange

Shared/Symmetric-Key
Encryption
(a.k.a. private-key
encryption)

PKE scheme

- SKE:

- Syntax

- KeyGen outputs

$$K \leftarrow \mathcal{K}$$

- Enc: $\mathcal{M} \times \mathcal{K} \times \mathcal{R} \rightarrow \mathcal{C}$

- Dec: $\mathcal{C} \times \mathcal{K} \rightarrow \mathcal{M}$

- Correctness

- $\forall K \in \text{Range}(\text{KeyGen}),$
Dec(Enc(m,K), K) = m

- Security (SIM/IND-CPA)

- PKE

a.k.a. asymmetric-key encryption

- Syntax

- KeyGen outputs

$$(PK, SK) \leftarrow \mathcal{PK} \times \mathcal{SK}$$

- Enc: $\mathcal{M} \times \mathcal{PK} \times \mathcal{R} \rightarrow \mathcal{C}$


- Dec: $\mathcal{C} \times \mathcal{SK} \rightarrow \mathcal{M}$

- Correctness

- $\forall (PK, SK) \in \text{Range}(\text{KeyGen}),$
Dec(Enc(m,PK), SK) = m

- Security (SIM/IND-CPA,
PKE version)

SIM-CPA (PKE Version)



IND-CPA (SKE version)


- Experiment picks a random bit b . It also runs KeyGen to get a key K

- For as long as Adversary wants**

- Adv sends two messages m_0, m_1 to the experiment
- Expt returns $\text{Enc}(m_b, K)$ to the adversary

- Adversary returns a guess b'
- Experiment outputs 1 iff $b' = b$

- IND-CPA secure** if for all PPT adversaries $\Pr[b' = b] - 1/2 \leq \nu(k)$



IND-CPA (~~SKE~~^{PKE} version)

- Experiment picks a random bit b . It also runs KeyGen to get a key (PK, SK) . Adv given PK


- Adv sends two messages m_0, m_1 to the experiment

- Expt returns $Enc(m_b, K)$ to the adversary

- Adversary returns a guess b'

- Experiment outputs 1 iff $b' = b$


- IND-CPA secure** if for all PPT adversaries $\Pr[b' = b] - 1/2 \leq \nu(k)$



IND-CPA (PKE version)

IND-CPA +
~ correctness
equivalent to
SIM-CPA

- Experiment picks a random bit b . It also runs KeyGen to get a key (PK, SK) . Adv given PK
 - Adv sends two messages m_0, m_1 to the experiment
 - Expt returns $Enc(m_b, K)$ to the adversary
 - Adversary returns a guess b'
 - Experiment outputs 1 iff $b' = b$
- **IND-CPA secure** if for all PPT adversaries $\Pr[b' = b] - 1/2 \leq \nu(k)$




Perfect Secrecy?

- No perfectly secret and correct PKE (even for one-time encryption)
 - Public-key and ciphertext (the total shared information between Alice and Bob at the end) should together have entire information about the message
 - Intuition: If Eve thinks Bob could decrypt it as two messages based on different SKs, Alice should be concerned too
 - i.e., Alice conveys same information to Bob and Eve
 - [Exercise]
- PKE only with computational security

Unless
assumptions of
imperfect
eavesdropping

Diffie-Hellman Key-exchange

- A candidate for how Alice and Bob could generate a shared key, which is "hidden" from Eve



Why DH-Key-exchange could be secure

- Given g^x, g^y for random x, y , g^{xy} should be "hidden"
 - i.e., could still be used as a pseudorandom element
 - i.e., $(g^x, g^y, g^{xy}) \approx (g^x, g^y, R)$
- Is that reasonable to expect?
 - Depends on the "group"

Groups, by examples

- A set G (for us finite, unless otherwise specified) and a "group operation" $*$ that is associative, has an identity, is invertible, and (for us) commutative
- Examples: $\mathbb{Z} = (\text{integers}, +)$ (this is an infinite group),
 $\mathbb{Z}_N = (\text{integers modulo } N, + \text{ mod } N)$,
 $G^n = (\text{Cartesian product of a group } G, \text{ coordinate-wise operation})$
- Order of a group G : $|G| = \text{number of elements in } G$
- For any $a \in G$, $a^{|G|} = a * a * \dots * a$ ($|G|$ times) = identity
- Finite **Cyclic group** (in multiplicative notation): there is one element g such that $G = \{g^0, g^1, g^2, \dots, g^{|G|-1}\}$
 - Prototype: \mathbb{Z}_N (additive group), with $g=1$
 - or any g s.t. $\text{gcd}(g, N) = 1$



Groups, by examples



- \mathbb{Z}_N^* = (generators of \mathbb{Z}_N , multiplication mod N)
 - Numbers in $\{1, \dots, N-1\}$ which have a multiplicative inverse mod N
 - If N is prime, \mathbb{Z}_N^* is a cyclic group, of order $N-1$
 - e.g. $\mathbb{Z}_5^* = \{1, 2, 3, 4\}$ is generated by 2 (as 1, 2, 4, 3), and by 3 (as 1, 3, 4, 2). But 1 and 4 are not generators.
 - (Also cyclic for certain other values of N)

Discrete Log Assumption

Repeated squaring

- **Discrete Log** (w.r.t g) in a (multiplicative) cyclic group G generated by g : $DL_g(X) := \text{unique } x \text{ such that } X = g^x$ ($x \in \{0, 1, \dots, |G|-1\}$)
- In a (computationally efficient) group, given integer x and the standard representation of a group element g , can efficiently find the standard representation of $X=g^x$ (**How?**)
 - But given X and g , **may not be easy** to find x (depending on G)
 - **DLA**: Every PPT Adv has negligible success probability in the DL Expt: $(G, g) \leftarrow \text{GroupGen}; X \leftarrow G; \text{Adv}(G, g, X) \rightarrow z; g^z = X?$
- If DLA broken, then Diffie-Hellman key-exchange broken
 - Eve gets x, y from g^x, g^y (sometimes) and can compute g^{xy} herself
 - A "key-recovery" attack
 - Note: could potentially break pseudorandomness without breaking DLA too

OWF collection:
 $\text{Raise}(x; G, g)$
 $= (g^x; G, g)$

Decisional Diffie-Hellman (DDH) Assumption

- $\{(g^x, g^y, g^{xy})\}_{(G,g) \leftarrow \text{GroupGen}; x,y \leftarrow [|G|]} \approx \{(g^x, g^y, g^r)\}_{(G,g) \leftarrow \text{GroupGen}; x,y,r \leftarrow [|G|]}$
- At least as strong as DLA
 - If DDH assumption holds, then DLA holds [Why?]
- But possible that DLA holds and DDH assumption doesn't
 - e.g.: DLA is widely assumed to hold in \mathbb{Z}_p^* (p prime), but DDH assumption doesn't hold there!
 - Next time