

Announcements

Some Project Ideas

- **Read & Write about something** not covered in class
 - Constructions: e.g., CCA secure PKE schemes, lattice-based PKE, more block-cipher modes, ...
 - Concepts: e.g., Key management, Double-Ratcheting, Searchable Encryption, Onion Routing/Mix-Nets, Homomorphic Encryption, ...
 - Proofs: e.g., Goldreich-Levin predicate, Fujisaki-Okamoto, security of TLS,...
- Implementation project
 - **Make something**
 - Slow and secure crypto (e.g., SKE and/or Digital Signatures from OWP, full-domain CRHF from DL,...)
 - Higher-level applications (e.g., "simple-TLS", Off-the-record messaging, things you can do with a block-cipher...)
 - A library with a cleaner API for encryption/authentication
 - **Break something**
 - e.g., use a constraint-solver to break (broken) block-ciphers


Hash Functions

Lecture 14

Flavours of collision resistance

A Tale of Two Boxes

- The bulk of today's applied cryptography works with two magic boxes



- Block Ciphers
- Hash Functions
- Block Ciphers: Best modeled as (strong) Pseudorandom Permutations, with inversion trapdoors
 - Often more than needed (e.g. SKE needs only PRF)
- Hash Functions:
 - Some times modelled as Random Oracles!
 - Use at your own risk! No guarantees in the standard model.
 - Today: understanding security requirements on hash functions

Hash Functions

- “Randomised” mapping of inputs to shorter hash-values
- Hash functions are useful in various places
 - In data-structures: for efficiency
 - Intuition: hashing removes worst-case effects
 - In cryptography: for “integrity”
- Primary use: Domain extension (compress long inputs, and feed them into boxes that can take only short inputs)
 - Typical security requirement: “collision resistance”
 - Different flavours: some imply one-wayness
 - Also sometimes: some kind of unpredictability

Hash Function Family

- Hash function $h: \{0,1\}^{n(k)} \rightarrow \{0,1\}^{t(k)}$
 - **Compresses**
- **A family**
 - Alternately, takes two inputs, the index of the member of the family, and the real input
- **Efficient sampling and evaluation**
- Idea: when the hash function is randomly chosen, “behaves randomly”
 - Main goal: to “**avoid collisions**”. Will see several variants of the problem

x	$h_1(x)$	$h_2(x)$	$h_3(x)$	$h_4(x)$...	$h_N(x)$
000	0	0	0	1		1
001	0	0	1	1		1
010	0	1	0	1		1
011	0	1	1	0		1
100	1	0	0	1		1
101	1	0	1	0		1
110	1	1	0	1		1
111	1	1	1	0		1

Hash Functions in Crypto Practice

- A single fixed function
 - e.g. SHA-3, SHA-256, SHA-1, MD5, MD4
 - Not a family (“unkeyed”)
 - (And no security parameter knob)
- Not collision-resistant under any of the following definitions
- Alternately, could be considered as having already been randomly chosen from a family (and security parameter fixed too)
 - Usually involves hand-picked values (e.g. “I.V.” or “round constants”) built into the standard

Degrees of Collision-Resistance

- If for all PPT A , $\Pr[x \neq y \text{ and } h(x) = h(y)]$ is negligible in the following experiment:
 - $A \rightarrow (x, y); h \leftarrow \mathcal{H}$: Combinatorial Hash Functions (even non-PPT A)
 - $A \rightarrow x; h \leftarrow \mathcal{H}; A(h) \rightarrow y$: Universal One-Way Hash Functions
 - $h \leftarrow \mathcal{H}; A(h) \rightarrow (x, y)$: Collision-Resistant Hash Functions
- CRHF the strongest; UOWHF still powerful (will be enough for digital signatures)
- Useful variants: A gets only oracle access to $h(\cdot)$ (**weaker**).
Or, A gets any coins used for sampling h (**stronger**).

Degrees of Collision-Resistance

- Variants of CRHF/UOWHF where x is random

- $h \leftarrow \mathcal{H}; x \leftarrow X; A(h, h(x)) \rightarrow y$ ($y=x$ allowed)

A.k.a One-Way Hash Function

- **Pre-image collision resistance** if $h(x)=h(y)$ w.n.p

- i.e., $f(h, x) := (h, h(x))$ is a OWF (and h compresses)

- $h \leftarrow \mathcal{H}; x \leftarrow X; A(h, x) \rightarrow y$ ($y \neq x$)

- **Second Pre-image collision resistance** if $h(x)=h(y)$ w.n.p

- Incomparable (neither implies the other) [Exercise]

- CRHF implies second pre-image collision resistance and, if compressing, then pre-image collision resistance [Exercise]

Hash Length

- If range of the hash function is too small, not collision-resistant
 - If range $\text{poly}(k)$ -size (i.e. hash is logarithmically long), then non-negligible probability that two random x, y provide collision
- In practice interested in minimising the hash length (for efficiency)
 - Generic attack on a CRHF: **birthday attack**
 - Look for a collision in a set of random inputs (needs only oracle access to the hash function)
 - Expected size of the set before collision: $O(\sqrt{|\text{range}|})$
 - Birthday attack effectively halves the security (hash length) of a CRHF compared to a generic attack on UOWHF

Universal Hashing

- Combinatorial HF: $A \rightarrow (x, y)$; $h \leftarrow \mathcal{H}$. $h(x)=h(y)$ w.n.p

- Even better: 2-Universal Hash Functions

- “Uniform” and “Pairwise-independent”

- $\forall x, z \Pr_{h \leftarrow \mathcal{H}} [h(x)=z] = 1/|Z|$ (where $h: X \rightarrow Z$)

- $\forall x \neq y, w, z \Pr_{h \leftarrow \mathcal{H}} [h(x)=w, h(y)=z] =$
 $\Pr_{h \leftarrow \mathcal{H}} [h(x)=w] \cdot \Pr_{h \leftarrow \mathcal{H}} [h(y)=z]$

- $\Rightarrow \forall x \neq y \Pr_{h \leftarrow \mathcal{H}} [h(x)=h(y)] = 1/|Z|$

Negligible collision-probability if
super-polynomial-sized range

- k-Universal:

- $\forall x_1 \dots x_k$ (distinct), $z_1 \dots z_k$, $\Pr_{h \leftarrow \mathcal{H}} [\forall i \ h(x_i)=z_i] = 1/|Z|^k$

- Inefficient example: \mathcal{H} set of all functions from X to Z

- But we will need all $h \in \mathcal{H}$ to be succinctly described and efficiently evaluable

x	$h_1(x)$	$h_2(x)$	$h_3(x)$	$h_4(x)$
0	0	0	1	1
1	0	1	0	1
2	1	0	0	1

Universal Hashing

- Combinatorial HF: $A \rightarrow (x,y); h \leftarrow \mathcal{H}. h(x)=h(y)$ w.n.p

- Even better: 2-Universal Hash Functions

- "Uniform" and "Pairwise-independent"

- $\forall x \neq y, w, z \Pr_{h \leftarrow \mathcal{H}} [h(x)=w, h(y)=z] = 1/|Z|^2$

- $\Rightarrow \forall x \neq y \Pr_{h \leftarrow \mathcal{H}} [h(x)=h(y)] = 1/|Z|$

- e.g. $h_{a,b}(x) = ax+b$ (in a finite field, $X=Z$)

- Uniform

- $\Pr_{a,b} [ax+b = z] = \Pr_{a,b} [b = z-ax] = 1/|Z|$

- $\Pr_{a,b} [ax+b = w, ay+b = z] = ?$ Exactly one (a,b) satisfying the two equations (for $x \neq y$)

- $\Pr_{a,b} [ax+b = w, ay+b = z] = 1/|Z|^2$

- But does not compress!

x	$h_1(x)$	$h_2(x)$	$h_3(x)$	$h_4(x)$
0	0	0	1	1
1	0	1	0	1
2	1	0	0	1

Negligible collision-probability if super-polynomial-sized range

Universal Hashing

- Combinatorial HF: $A \rightarrow (x, y)$; $h \leftarrow \mathcal{H}$. $h(x) = h(y)$ w.n.p

- Even better: 2-Universal Hash Functions

- "Uniform" and "Pairwise-independent"

- $\forall x \neq y, w, z \Pr_{h \leftarrow \mathcal{H}} [h(x) = w, h(y) = z] = 1/|Z|^2$

- $\Rightarrow \forall x \neq y \Pr_{h \leftarrow \mathcal{H}} [h(x) = h(y)] = 1/|Z|$

- e.g. Chop($h(x)$) where

- h from a (possibly non-compressing) 2-universal HF

- Chop a t -to-1 map from Z to Z'

- e.g. with $|Z| = 2^k$, removing last bit gives a 2-to-1 mapping

- $\Pr_h [\text{Chop}(h(x)) = w, \text{Chop}(h(y)) = z]$
 $= \Pr_h [h(x) = w0 \text{ or } w1, h(y) = z0 \text{ or } z1] = 4/|Z|^2 = 1/|Z'|^2$

x	$h_1(x)$	$h_2(x)$	$h_3(x)$	$h_4(x)$
0	0	0	1	1
1	0	1	0	1
2	1	0	0	1

Negligible collision-probability if super-polynomial-sized range

Today

- Combinatorial hash functions, UOWHF and CRHF
 - (And weaker variants of CRHF: pre-image collision resistance and second-pre-image collision resistance)
- Collision-resistant combinatorial HF from 2-Universal Hash Functions
- Next:
 - UOWHF from 2-Universal HF and OWP (possible from OWF)
 - A candidate CRHF construction
 - Domain extension