

Lecture 28: Memory management of user processes in xv6



Mythili Vutukuru

IIT Bombay

<https://www.cse.iitb.ac.in/~mythili/os/>


Memory management of user processes

- User process needs memory pages to build its address space
 - User part of memory image (user code/data/stack/heap)
 - Page table (mappings to user memory image, as well as to kernel code/data)
- Free list of kernel used to allocate memory for user processes via kalloc()
- New virtual address space for a process is created during:
 - init process creation
 - fork system call
 - exec system call
- Existing virtual address space modified in sbrk system call (expand heap)
- How is page table of a process constructed?
 - Start with one page for the outer page directory
 - Allocate inner page tables on demand (if no entries present in inner page table, no need to allocate a page for it) as memory image created or updated




Functions to build page table (1)

- Every page table begins with setting up kernel mappings in setupkvm()
- Outer pgdir allocated
- Kernel mappings defined in “kmap” added to page table by calling “mappages”
- After setupkvm(), user page table mappings added




```
1802 // This table defines the kernel's mappings, which are present in
1803 // every process's page table.
1804 static struct kmap {
1805     void *virt;
1806     uint phys_start;
1807     uint phys_end;
1808     int perm;
1809 } kmap[] = {
1810     { (void*)KERNBASE, 0,          EXTMEM,  PTE_W}, // I/O space
1811     { (void*)KERNLINK, V2P(KERNLINK), V2P(data), 0}, // kern text+rodata
1812     { (void*)data,     V2P(data),    PHYSTOP, PTE_W}, // kern data+memory
1813     { (void*)DEVSPACE, DEVSPACE,     0,      PTE_W}, // more devices
1814 };
1815
1816 // Set up kernel part of a page table.
1817 pde_t*
1818 setupkvm(void)
1819 {
1820     pde_t *pgdir;
1821     struct kmap *k;
1822
1823     if((pgdir = (pde_t*)kalloc()) == 0)
1824         return 0;
1825     memset(pgdir, 0, PGSIZE);
1826     if (P2V(PHYSTOP) > (void*)DEVSPACE)
1827         panic("PHYSTOP too high");
1828     for(k = kmap; k < &kmap[NELEM(kmap)]; k++)
1829         if(mappages(pgdir, k->virt, k->phys_end - k->phys_start,
1830             (uint)k->phys_start, k->perm) < 0) {
1831             freevm(pgdir);
1832             return 0;
1833         }
1834     return pgdir;
1835 }
```




Functions to build page table (2)

- Page table entries added by “mappages”
 - Arguments: page directory, range of virtual addresses, physical addresses to map to, permissions of the pages
 - For each page, walks page table, get pointer to PTE via function “walkpgdir”, fills it with physical address and permissions
- Function “walkpgdir” walks page table, returns PTE of a virtual address
 - Can allocate inner page table if it doesn't exist



```
1756 // Create PTEs for virtual addresses starting at va that refer to
1757 // physical addresses starting at pa. va and size might not
1758 // be page-aligned.
1759 static int
1760 mappages(pde_t *pgdir, void *va, uint size, uint pa, int perm)
1761 {
1762     char *a, *last;
1763     pte_t *pte;
1764
1765     a = (char*)PGROUNDDOWN((uint)va);
1766     last = (char*)PGROUNDDOWN(((uint)va) + size - 1);
1767     for(;;){
1768         if((pte = walkpgdir(pgdir, a, 1)) == 0)
1769             return -1;
1770         if(*pte & PTE_P)
1771             panic("remap");
1772         *pte = pa | perm | PTE_P;
1773         if(a == last)
1774             break;
1775         a += PGSIZE;
1776         pa += PGSIZE;
1777     }
1778     return 0;
1779 }
```



```
1731 // Return the address of the PTE in page table pgdir
1732 // that corresponds to virtual address va. If alloc!=0,
1733 // create any required page table pages.
1734 static pte_t *
1735 walkpgdir(pde_t *pgdir, const void *va, int alloc)
1736 {
1737     pde_t *pde;
1738     pte_t *pgtab;
1739
1740     pde = &pgdir[PDX(va)];
1741     if(*pde & PTE_P){
1742         pgtab = (pte_t*)P2V(PTE_ADDR(*pde));
1743     } else {
1744         if(!alloc || (pgtab = (pte_t*)kalloc()) == 0)
1745             return 0;
1746         // Make sure all those PTE_P bits are zero.
1747         memset(pgtab, 0, PGSIZE);
1748         // The permissions here are overly generous, but they can
1749         // be further restricted by the permissions in the page table
1750         // entries, if necessary.
1751         *pde = V2P(pgtab) | PTE_P | PTE_W | PTE_U;
1752     }
1753     return &pgtab[PTX(va)];
1754 }
```


allocate

Fork: copying memory image

```
2591 // Copy process state from proc.
2592 if((np->pgdir = copyuvm(curproc->pgdir, curproc->sz)) == 0){
2593     kfree(np->kstack);
2594     np->kstack = 0;
2595     np->state = UNUSED;
2596     return -1;
2597 }
```


- Function “copyuvm” called by parent to copy parent memory image to child
 - Create new page table for child
 - Walk through parent memory image page by page and copy it to child, while adding child page table mappings
- For each page in parent
 - fetch PTE, get physical address, permissions
 - Allocate new page for child, and copy contents of parent’s page to new page of child
 - Add a PTE from virtual address to physical address of new page in child page table
- Real operating systems do copy-on-write: child page table also points to parent pages until either of them modifies it
 - Here, xv6 creates separate memory images for parent and child right away

```
2032 // Given a parent process's page table, create a copy
2033 // of it for a child.
2034 pde_t*
2035 copyuvm(pde_t *pgdir, uint sz)
2036 {
2037     pde_t *d;
2038     pte_t *pte;
2039     uint pa, i, flags;
2040     char *mem;
2041
2042     if((d = setupkvm()) == 0)
2043         return 0;
2044     for(i = 0; i < sz; i += PGSIZE){
2045         if((pte = walkpgdir(pgdir, (void *) i, 0)) == 0)
2046             panic("copyuvm: pte should exist");
2047         if(!(*pte & PTE_P))
2048             panic("copyuvm: page not present");
2049         pa = PTE_ADDR(*pte);
2050         flags = PTE_FLAGS(*pte);
2051         if((mem = kalloc()) == 0)
2052             goto bad;
2053         memmove(mem, (char*)P2V(pa), PGSIZE);
2054         if(mappages(d, (void*)i, PGSIZE, V2P(mem), flags) < 0) {
2055             kfree(mem);
2056             goto bad;
2057         }
2058     }
2059     return d;
2060
2061 bad:
2062     freevm(d);
2063     return 0;
2064 }
```




Growing memory image: sbrk

- Initially heap is empty, program “break” (end of user memory) is at end of stack
 - Sbrk() system call invoked by malloc to expand heap
- To grow memory, allocuvm allocates new pages, adds mappings into page table for new pages
- Whenever page table updated, must update cr3 register and TLB (done even during context switching)



```
2557 int
2558 growproc(int n)
2559 {
2560     uint sz;
2561     struct proc *curproc = myproc();
2562
2563     sz = curproc->sz;
2564     if(n > 0){
2565         if((sz = allocuvm(curproc->pgdir, sz, sz + n)) == 0)
2566             return -1;
2567     } else if(n < 0){
2568         if((sz = deallocuvm(curproc->pgdir, sz, sz + n)) == 0)
2569             return -1;
2570     }
2571     curproc->sz = sz;
2572     switchuvm(curproc);
2573     return 0;
2574 }
```



allocvm: grow address space

- Walk through new virtual addresses to be added in page size chunks
- Allocate new page, add it to page table with suitable user permissions
- Similarly deallocvm shrinks memory image, frees up pages

```
1926 int
1927 allocvm(pde_t *pgdir, uint oldsz, uint newsz)
1928 {
1929     char *mem;
1930     uint a;
1931
1932     if(newsz >= KERNBASE)
1933         return 0;
1934     if(newsz < oldsz)
1935         return oldsz;
1936
1937     a = PGROUNDUP(oldsz);
1938     for(; a < newsz; a += PGSIZE){
1939         mem = kalloc();
1940         if(mem == 0){
1941             cprintf("allocvm out of memory\n");
1942             deallocvm(pgdir, newsz, oldsz);
1943             return 0;
1944         }
1945         memset(mem, 0, PGSIZE);
1946         if(mappages(pgdir, (char*)a, PGSIZE, V2P(mem), PTE_W|PTE_U) < 0){
1947             cprintf("allocvm out of memory (2)\n");
1948             deallocvm(pgdir, newsz, oldsz);
1949             kfree(mem);
1950             return 0;
1951         }
1952     }
1953     return newsz;
1954 }
```



Exec system call (1)

- Read ELF binary file from disk into memory
- Start with new page table, add mappings to new executable pages and grow virtual address space
 - Do not overwrite old page table yet

```
6609 int
6610 exec(char *path, char **argv)
6611 {
6612     char *s, *last;
6613     int i, off;
6614     uint argc, sz, sp, ustack[3+MAXARG+1];
6615     struct elfhdr elf;
6616     struct inode *ip;
6617     struct proghdr ph;
6618     pde_t *pgdir, *oldpgdir;
6619     struct proc *curproc = myproc();
6620
6621     begin_op();
6622
6623     if((ip = namei(path)) == 0){
6624         end_op();
6625         cprintf("exec: fail\n");
6626         return -1;
6627     }
6628     ilock(ip);
6629     pgdir = 0;
6630
6631     // Check ELF header
6632     if(readi(ip, (char*)&elf, 0, sizeof(elf)) != sizeof(elf))
6633         goto bad;
6634     if(elf.magic != ELF_MAGIC)
6635         goto bad;
6636
6637     if((pgdir = setupkvm()) == 0)
6638         goto bad;
```


```
6640     // Load program into memory.
6641     sz = 0;
6642     for(i=0, off=elf.phoff; i<elf.phnum; i++, off+=sizeof(ph)){
6643         if(readi(ip, (char*)&ph, off, sizeof(ph)) != sizeof(ph))
6644             goto bad;
6645         if(ph.type != ELF_PROG_LOAD)
6646             continue;
6647         if(ph.memsz < ph.filesz)
6648             goto bad;
6649         if(ph.vaddr + ph.memsz < ph.vaddr)
6650             goto bad;
6651         if((sz = allocuvm(pgdir, sz, ph.vaddr + ph.memsz)) == 0)
6652             goto bad;
6653         if(ph.vaddr % PGSIZE != 0)
6654             goto bad;
6655         if(loaduvm(pgdir, (char*)ph.vaddr, ip, ph.off, ph.filesz) < 0)
6656             goto bad;
6657     }
6658     iunlockput(ip);
6659     end_op();
6660     ip = 0;
```

Exec system call (2)

- After executable is copied to memory image, allocate 2 pages for stack (one is guard page, permissions cleared, access will trap)
- Push exec arguments onto user stack for main function of new program
 - Stack has return address, argc, argv array (pointers to variable sized arguments), and the arguments themselves

```
6662 // Allocate two pages at the next page boundary.
6663 // Make the first inaccessible. Use the second as the user stack.
6664 sz = PGROUNDUP(sz);
6665 if((sz = allocvm(pgdir, sz, sz + 2*PGSIZE)) == 0)
6666     goto bad;
6667 clearpteu(pgdir, (char*)(sz - 2*PGSIZE));
6668 sp = sz;
6669
6670 // Push argument strings, prepare rest of stack in ustack.
6671 for(argc = 0; argv[argc]; argc++) {
6672     if(argc >= MAXARG)
6673         goto bad;
6674     sp = (sp - (strlen(argv[argc]) + 1)) & ~3;
6675     if(copyout(pgdir, sp, argv[argc], strlen(argv[argc]) + 1) < 0)
6676         goto bad;
6677     ustack[3+argc] = sp;
6678 }
6679 ustack[3+argc] = 0;
6680
6681 ustack[0] = 0xffffffff; // fake return PC
6682 ustack[1] = argc;
6683 ustack[2] = sp - (argc+1)*4; // argv pointer
6684
6685 sp -= (3+argc+1) * 4;
6686 if(copyout(pgdir, sp, ustack, (3+argc+1)*4) < 0)
6687     goto bad;
6688
```


}
argc
argv



Exec system call (3)

- If no errors so far, switch to new page table that is pointing to new memory image
 - If any error, go back to old memory image (exec returns with error)
- Set eip in trapframe to start at entry point of new program
 - Returning from trap, process will run new executable

```
6689 // Save program name for debugging.
6690 for(last=s=path; *s; s++)
6691     if(*s == '/')
6692         last = s+1;
6693 safestrcpy(curproc->name, last, sizeof(curproc->name));
6694
6695 // Commit to the user image.
6696 oldpgdir = curproc->pgdir;
6697 curproc->pgdir = pgdir;
6698 curproc->sz = sz;
6699 curproc->tf->eip = elf.entry; // main
6700 curproc->tf->esp = sp;
6701 switchvm(curproc);
6702 freevm(oldpgdir);
6703 return 0;
6704
6705 bad:
6706 if(pgdir)
6707     freevm(pgdir);
6708 if(ip){
6709     iunlockput(ip);
6710     end_op();
6711 }
6712 return -1;
6713 }
```



Summary

- Memory management for user processes
 - Build page table: start with kernel mappings, add user entries to build virtual address space
 - Memory management code in fork, exec, sbrk